MATHEMATICS

QUESTION BANK

<u>for</u>

Summative Assessment -II

CLASS – IX 2015 – 16

CHAPTER WISE COVERAGE IN THE FORM MCQ WORKSHEETS AND PRACTICE QUESTIONSS

Prepared by

M. S. KUMARSWAMY, TGT(MATHS)
M. Sc. Gold Medallist (Elect.), B. Ed.

Kendriya Vidyal aya GaCHiBOWI i

PREFACE

It gives me great pleasure in presenting the Question Bank for Summative Assessment (SA) - II. It is in accordance with the syllabus of the session 2015–16 for second term (CCE pattern). It also includes two sets of sample papers at the end based on new question paper pattern.

Each chapter has a large number of multiple-choice questions in the form of Worksheets, which will help students quickly test their knowledge and skill.

A sufficient number of short answer type and long answer type questions are included in the form of PRACTICE QUESTIONS. This Question Bank is also helpful to all the teachers for internal assessment of the students.

Keeping the mind the mental level of a child, every effort has been made to introduce simple multiple choice questions so that the child solve them easily and gets confidence.

I avail this opportunity to convey my sincere thanks to respected sir, Shri U. N. Khaware, Additional Commissioner(Acad), KVS Headquarter, New Delhi, respected sir, Shri S. Vijay Kumar, Joint Commissioner(Admn), KVS Headquarter, New Delhi, respected sir Shri P. V. Sairanga Rao, Deputy Commissioner, KVS Headquarter, New Delhi, respected sir Shri. D. Manivannan, Deputy Commissioner, KVS RO Hyderabad, respected sir Shri Isampal, Deputy Commissioner, KVS RO Bhopal, respected sir Shri P. Deva Kumar, Deputy Commissioner, KVS RO Bangalore, respected sir Shri Nagendra Goyal, Deputy Commissioner, KVS RO Ranchi, respected sir Shri Y. Arun Kumar, Assistant Commissioner(Acad), KVS Headquarter, New Delhi, respected sir Shri Sirimala Sambanna, Assistant Commissioner, KVS RO Hyderabad, respected sir Shri. K. L. Nagaraju, Assistant Commissioner, KVS RO Bangalore, respected sir Shri.Gangadharaiah, Assistant Commissioner, KVS RO Bangalore and respected Shri M.K. Kulshreshtha, Assistant Commissioner, KVS RO Chandigarh for their blessings, motivation and encouragement in bringing out this project in such an excellent form.

I also extend my special thanks to respected sir Shri. P. S. Raju, Principal, KV Gachibowli, respected madam Smt. Nirmala Kumari M., Principal, KV Mysore & respected sir Shri. M. Vishwanatham, Principal, KV Raichur for their kind suggestions and motivation while preparing this Question Bank. I would like to place on record my thanks to respected sir Shri. P. K. Chandran, Principal, presently working in KV Bambolim. I have started my career in KVS under his guidance, suggestions and motivation.

Inspite of my best efforts to make this notes error free, some errors might have gone unnoticed. I shall be grateful to the students and teacher if the same are brought to my notice. You may send your valuable suggestions, feedback or queries through email to kumarsir34@gmail.com that would be verified by me and the corrections would be incorporated in the next year Question Bank.

M. S. KUMARSWAMY

ISAMPAL DEPUTY COMMISSIONER



केन्द्रीय विधालय संगठन, क्षेत्रीय कार्यालय, के. कामराज मार्ग, बेंगलूर–560 042 KENDRIYA VIDYALAYA SANGATHAN REGIONAL OFFICE K. KAMARAJA ROAD, BANGALORE- 560042

F. DO-DC./2013-KVS(BGR)

Dated:05.09.2013

Dear Shri M.S.Kumarswamy,

It has been brought to my notice the good work done by you with regard to making question bank and worksheets for classes VI to X in Mathematics. I am pleased to look at your good work. Mathematics is one discipline which unfortunately and wrongly perceived as a phobia. May be lack of motivation from teachers and inadequate study habits of students is responsible for this state of affairs. Your work in this regard assumes a great significance. I hope your own students as well as students of other Vidyalayas will benefit by your venture. You may mail the material to all the Kendriya Vidyalayas of the region for their benefit. Keep up the good work.

May God bless!,

Yours sincerely,

(Isampal)

Shri M.S.Kumarswamy TGT (Maths) Kendriya Vidyalaya Donimalai

Copy to: the principals, Kendriya Vidyalayas, Bangalore Region with instructions to make use of the materials prepared by Mr. M.S.Kumarswamy being forwarded separately.

DEDICATED TO MY FATHER

LATE SHRI. M. S. MALLAYYA

INDEX

S. No.	Chapter	Page No.		
1	SYLLABUS			
2	Linear Equation in two variables			
	MCQ Worksheets – I to III	1 – 3		
	Practice Questions	4 – 8		
3	Quadrilaterals			
	MCQ Worksheets – I to IV	9 – 16		
	Practice Questions	17 – 23		
4	Areas of Parallelograms and triangles			
	MCQ Worksheets – I to IV	24 - 30		
	Practice Questions	31 – 38		
5	Circles			
	MCQ Worksheets – I to IV	39 – 44		
	Practice Questions	45 - 52		
6	6 Constructions			
	MCQ Worksheets – I	53		
	Practice Questions	54		
7	Surface areas and Volumes			
	MCQ Worksheets – I – VI	55 – 61		
	Practice Questions	62 - 66		
8	Statistics			
	MCQ Worksheets – I to IV	67 – 70		
	Practice Questions	72 – 77		
9	Probability			
	MCQ Worksheets – I – IV	78 – 84		
	Practice Questions	85 – 87		
10	Sample Paper – 01	88 - 92		
11	Sample Paper – 02	93 – 97		

SYLLABUS FOR 2ND TERM 2015 – 16

Course Structure Class IX

First Term	Marks: 90		
UNITS	MARKS		
II ALGEBRA	10		
III GEOMETRY (Contd.)	38		
V MENSURATION (Contd.)	22		
VI PROBABILITY	08		
VII STATISTICS	12		
TOTAL	90		

The test of OTBA for SA-II will be from Unit-II Linear Equation in Two variables

UNIT II: ALGEBRA (Contd.)

2. LINEAR EQUATIONS IN TWO VARIABLES

(14) Periods

Recall of linear equations in one variable. Introduction to the equation in two variables. Prove that a linear equation in two variables has infinitely many solutions and justify their being written as ordered pairs of real numbers, plotting them and showing that they seem to lie on a line. Examples, problems from real life, including problems on Ratio and Proportion and with algebraic and graphical solutions being done simultaneously

UNIT III : GEOMETRY (Contd.)

4. QUADRILATERALS

(10) Periods

- 1. (Prove) The diagonal divides a parallelogram into two congruent triangles.
- 2. (Motivate) In a parallelogram opposite sides are equal, and conversely.
- 3. (Motivate) In a parallelogram opposite angles are equal, and conversely.
- 4. (Motivate) A quadrilateral is a parallelogram if a pair of its opposite sides is parallel and equal.
- 5. (Motivate) In a parallelogram, the diagonals bisect each other and conversely.
- 6. (Motivate) In a triangle, the line segment joining the mid points of any two sides is parallel to the third side and (motivate) its converse.

5. AREA (4) Periods

Review concept of area, recall area of a rectangle.

- 1. (Prove) Parallelograms on the same base and between the same parallels have the same area.
- 2. (Motivate) Triangles on the same base and between the same parallels are equal in area and its converse.

6. CIRCLES (15) Periods

Through examples, arrive at definitions of circle related concepts, radius, circumference, diameter, chord, arc, subtended angle.

- 1. (Prove) Equal chords of a circle subtend equal angles at the center and (motivate) its converse.
- 2. (Motivate) The perpendicular from the center of a circle to a chord bisects the chord and conversely, the line drawn through the center of a circle to bisect a chord is perpendicular to the chord.
- 3. (Motivate) There is one and only one circle passing through three given non-collinear points.

Prepared by: M. S. KumarSwamy, TGT(Maths)

- 4. (Motivate) Equal chords of a circle (or of congruent circles) are equidistant from the center(s) and conversely.
- 5. (Prove) The angle subtended by an arc at the center is double the angle subtended by it at any point on the remaining part of the circle.
- 6. (Motivate) Angles in the same segment of a circle are equal.
- 7. (Motivate) If a line segment joining two points subtendes equal angle at two other points lying on the same side of the line containing the segment, the four points lie on a circle.
- 8. (Motivate) The sum of the either pair of the opposite angles of a cyclic quadrilateral is 180₀ and its converse

7. CONSTRUCTIONS

(10) Periods

- 1. Construction of bisectors of line segments & angles, 60₀, 90₀, 45₀ angles etc., equilateral triangles.
- 2. Construction of a triangle given its base, sum/difference of the other two sides and one base angle.
- 3. Construction of a triangle of given perimeter and base angles.

UNIT V: MENSURATION (Contd.)

2. SURFACE AREAS AND VOLUMES

(12) Periods

Surface areas and volumes of cubes, cuboids, spheres (including hemispheres) and right circular cylinders/cones.

UNIT VI: STATISTICS AND PROBABILITY

1. STATISTICS (13) Periods

Introduction to Statistics : Collection of data, presentation of data — tabular form, ungrouped / grouped, bar graphs, histograms (with varying base lengths), frequency polygons, qualitative analysis of data to choose the correct form of presentation for the collected data. Mean, median, mode of ungrouped data.

2. PROBABILITY (12) Periods

History, Repeated experiments and observed frequency approach to probability. Focus is on empirical probability. (A large amount of time to be devoted to group and to individual activities to motivate the concept; the experiments to be drawn from real - life situations, and from examples used in the chapter on statistics).

Prepared by: M. S. KumarSwamy, TGT(Maths)

MCQ WORKSHEET-I <u>CLASS IX: CHAPTER - 4</u> <u>LINEAR EQUATION IN TWO VARIABLES</u>

(d)(2,0)

(c)(1,1)

2.	In graphical representation of $y = -4$, line is: (a) parallel to $x - axis$ (b) parallel to $y - axis$				
	(c) passes thro	ough origin	(d) None of the	nese.	
3.	Solution of the ec	$\frac{1}{2}$ uation $2x + 1 = \frac{1}{2}$	= x + 3 is:		
	(a) 3	•		(d) 4	
4.	The graph of line (a) (2, 3)	x - y = 0 passe (b) (3, 4)	-	(d) (0, 0)	
	(, (, - ,	(-) (-)	(-) (- , -)	(=) (=, =)	
5.	The graph of line (a) (7, 0)	x + y = 7 inters (b) (0, 7)			
6.	Point (4, 1) lies o	n the line:			
			6 (c) $x +$	-2y=6	(d) $x + 2y = 16$
7.	Graph of $x = 2$ is	a line:			
•	(a) parallel to		(b) parallel to	y – axis	
	(c) passes thro	ough origin	(d) None of the	nese.	
8.	The linear equation	on $2x - 5y = 7$ h	nas		
	(a) a unique s		(b) two solution		
	(c) infinitely n	nany solutions	(d) no solution	ns.	
9.	The equation 2x -	+ 5y = 7 has a u	nique solution,	if x, y are:	
	(a) natural nu		(b) positive nu		
	(c) real number	ers	(d) rational nu	imbers.	
10.	If (2, 0) is a solut		_	-	ne value of k is
	(a) 4	(b) 6	(c) 5	(d) 2	
11.	Any solution of th	ne linear equation	on $2x + 0y + 9 =$	= 0 in two vari	ables is of the form
	(a) $(-\frac{9}{2}, m)$	(b) $(n, -\frac{9}{2})$	(c) $(0, -\frac{9}{100})$	(d) (–9, 0)	
	2,,	2	2	(=) (2, 3)	
12.	12. The graph of the linear equation $2x + 3y = 6$ cuts the y-axis at the point				
		(b) $(0, 3)$			-
13.	The equation $x =$	7, in two varial	oles, can be wri		
	(a) x + 0y = 7	(b) $0x + y = 7$	(c) 0x + 0y = c	$7 \qquad (d) x -$	+ y = 7
14.	14. Any point on the x – axis is of the form (a) (x, y) (b) $(0, y)$ (c) $(x, 0)$ (d) (x, x)				
	(a) (x, y)	(b) (U, y)	(c) (x, 0)	$(\mathfrak{a})(\mathbf{x},\mathbf{x})$	

1. The solution of the equation x - 2y = 4 is:

(b) (4, 0)

(a) (0, 2)

MCQ WORKSHEET-II <u>CLASS IX: CHAPTER - 4</u> <u>LINEAR EQUATION IN TWO VARIABLES</u>

1.	Any point on the $y = x$ (a) (a, a) (b)			(d) (a, -	-a)		
2.	The equation of $x - ax$ (a) $x = 0$ (b)				(d) x = y		
3.	Graph of y = 6 is a line (a) parallel to x - a (b) parallel to y - a (c) making an inte (d) making an inte	axis at a dist axis at a dist rcept 6 on th	ance 6 units from ance 6 units from ance 6 units		•		
4.	x=5, $y=2$ is a solution (a) $x + 2y = 7$ (b)			y = 7	(d) 5x	x + y = 7	
5.	If a linear equation has (a) $y - x = 0$ (b)						
6.	The positive solutions (a) 1 st quadrant	of the equation (b) 2^{nd} of	tion is ax + by quadrant	$+ c = 0$ (c) 3^{rd}	always lie in t quadrant	the (d)4 th quadra	ınt
7.	The graph of the linea (a) (2, 0) (b)	_	-	line who (d) (0, 2)		x axis at the po	oint
8.	The graph of the $y = x$ (a) $\left(\frac{3}{2}, -\frac{3}{2}\right)$ (b)	_	_	(d) $\left(\frac{-1}{2}\right)$	$\left(\frac{1}{2},\frac{1}{2}\right)$		
9.	If we multiply or divid of the linear equation: (a) changes (c) changes in case		-	(b) rem	ains the same		the solution
10.	(a) only one (b)		d y can be satis (c) infinitely m	•	-	2?	
11.	The point of the form (a) $x - axis$ (b)		s lies on: (c) on the line	y = x	(d) on the $x + $	- y =0	
12.	The point of the form (a) $x = a$ (b) $y = -a$		-	y=0			
• • •		• • • • • • • • • •	• • • • • • • • • • • •				

MCQ WORKSHEET-III <u>CLASS IX: CHAPTER - 4</u> <u>LINEAR EQUATION IN TWO VARIABLES</u>

1.	Which of the following is not a linear equation in two variables? (a) $ax + by = c$ (b) $ax^2 + by = c$ (c) $2x + 3y = 5$ (d) $3x + 2y = 6$			
2.	The graph of $ax + by + c = 0$ is (a) a straight line parallel to x-axis (b) a straight line parallel to y-axis (c) a general straight line (d) a line in the 2^{nd} and 3^{rd} quadant			
3.	The solution of a linear equation in two variables is (a) a number which satisfies the given equation (b) an ordered pair which satisfies the given equation (c) an ordered pair, whose respective values when substituted for x and y in the given equation satisfies it (d) none of these			
4.	One of the solution of a linear equation in two variables is (a) $(3, 2)$ (b) $(3, -2)$ (c) $(2, 3)$ (d) $(-2, -3)$			
5.	The ordered pair (m, n) satisfies the equation $ax + by + c = 0$ if (a) $am + bn = 0$ (b) $c = 0$ (c) $am + bn + c = 0$ (d) $am + bn - c = 0$			
6.	The equation of $x - axis$ is (a) $a = 0$ (b) $y = 0$ (c) $x = 0$ (d) $y = k$			
7.	From the graph of a line, we can find the coordinates of (a) only two point lying on the line (b) only two points only lying on the line. (c) only finite number of points lying on the line. (d) only infinite number of points lying on the line. 			
8.	A linear equation in two variables has (a) no solution (b) only one solution (c) only two solutions (d) infinitely many solutions			
9.	An equation of the form $ax + by + c = 0$ represents a linear equation in two variables, if (a) $a = 0, b \neq 0$ (b) $a \neq 0, b = 0$ (c) $a = 0, b = 0$ (d) $a = 0, b \neq 0$			
10.	The graph of the linear equation in two variables $y = mx$ is (a) a line parallel to $x - axis$ (b) a line parallel to $y - axis$ (c) a line passing through the origin (d) not a straight line			

PRACTICE QUESTIONS <u>CLASS IX: CHAPTER - 4</u> <u>LINEAR EQUATION IN TWO VARIABLES</u>

- 1. Find the value of k, if x = 2, y = 1 is a solution of the equation 2x + 3y = k.
- 2. Find the points where the graph of the equation 3x + 4y = 12 cuts the x-axis and the y-axis.
- **3.** At what point does the graph of the linear equation x + y = 5 meet a line which is parallel to the y-axis, at a distance 2 units from the origin and in the positive direction of x-axis.
- **4.** Determine the point on the graph of the equation 2x + 5y = 20 whose x-coordinate is $\frac{5}{2}$ times its ordinate.
- **5.** Draw the graph of the equation represented by the straight line which is parallel to the *x*-axis and is 4 units above it.
- **6.** Draw the graphs of linear equations y = x and y = -x on the same cartesian plane. What do you observe?
- 7. Determine the point on the graph of the linear equation 2x + 5y = 19, whose ordinate is $1\frac{1}{2}$ times its abscissa.
- **8.** Draw the graph of the equation represented by a straight line which is parallel to the *x*-axis and at a distance 3 units below it.
- **9.** Draw the graph of the linear equation whose solutions are represented by the points having the sum of the coordinates as 10 units.
- 10. Write the linear equation such that each point on its graph has an ordinate 3 times its abscissa.
- 11. If the point (3, 4) lies on the graph of 3y = ax + 7, then find the value of a.
- **12.** How many solution(s) of the equation 2x + 1 = x 3 are there on the : (i) Number line (ii) Cartesian plane
- 13. Find the solution of the linear equation x + 2y = 8 which represents a point on (i) x-axis (ii) y-axis
- **14.** For what value of c, the linear equation 2x + cy = 8 has equal values of x and y for its solution.
- **15.** Let y varies directly as x. If y = 12 when x = 4, then write a linear equation. What is the value of y when x = 5?
- **16.** Draw the graph of the linear equation 2x + 3y = 12. At what points, the graph of the equation cuts the x-axis and the y-axis?
- **17.** Show that the points A (1, 2), B (-1, -16) and C (0, -7) lie on the graph of the linear equation y = 9x 7.

18. The following values of x and y are thought to satisfy a linear equation :

X	1	2
y	1	3

Draw the graph, using the values of x, y as given in the above table. At what point the graph of the linear equation (i) cuts the x-axis. (ii) cuts the y-axis.

- **19.** The Autorikshaw fare in a city is charged Rs 10 for the first kilometer and @ Rs 4 per kilometer for subsequent distance covered. Write the linear equation to express the above statement. Draw the graph of the linear equation.
- **20.** The work done by a body on application of a constant force is the product of the constant force and the distance travelled by the body in the direction of force. Express this in the form of a linear equation in two variables and draw its graph by taking the constant force as 3 units. What is the work done when the distance travelled is 2 units. Verify it by plotting the graph.

21. The following values of x and y are thought to satisfy a linear equation, Write the linear equation.

X	6	-6
y	-6	6

Draw the graph, using the values of x, y as given in the above table. At what point the graph of the linear equation (i) cuts the x-axis. (ii) cuts the y-axis.

- **22.** Draw the graph of the linear equation 3x + 4y = 6. At what points, the graph cuts the x-axis and the y-axis.
- **23.** The force exerted to pull a cart is directly proportional to the acceleration produced in the body. Express the statement as a linear equation of two variables and draw the graph of the same by taking the constant mass equal to 6 kg. Read from the graph, the force required when the acceleration produced is (i) 5 m/sec², (ii) 6 m/sec².
- **24.** If the temperature of a liquid can be measured in Kelvin units as x° K or in Fahrenheit units as y° F, the relation between the two systems of measurement of temperature is given by the linear equation $y = \frac{9}{5}(x 273) + 32$
 - (i) Find the temperature of the liquid in Fahrenheit if the temperature of the liquid is 313°K.
 - (ii) If the temperature is 158° F, then find the temperature in Kelvin.
- 25. The linear equation that converts Fahrenheit (F) to Celsius (C) is given by the relation

$$C = \frac{5F - 160}{9}$$

- (i) If the temperature is 86°F, what is the temperature in Celsius?
- (ii) If the temperature is 35°C, what is the temperature in Fahrenheit?
- (iii) If the temperature is 0°C what is the temperature in Fahrenheit and if the temperature is 0°F, what is the temperature in Celsius?
- (iv) What is the numerical value of the temperature which is same in both the scales?
- **26.** Draw the graph of x + y = 7 and x y = 2 on the same graph.
- **27.** If the point (3, 4) lies on the graph of the equation 3y = ax + 7, find the value of a.
- **28.** The taxi fare in a city is as follows: For the first kilometre, the fare is Rs 8 and for the subsequent distance it is Rs 5 per km. Taking the distance covered as x km and total fare as Rs y, write a linear equation for this information, and draw its graph.

- **29.** Solve the equation 2x + 1 = x 3, and represent the solution(s) on
 - (i) the number line,
 - (ii) the Cartesian plane.
- **30.** Give the geometric representations of y = 3 as an equation
 - (i) in one variable (ii) in two variables
- **31.** Give the geometric representations of 2x + 9 = 0 as an equation
 - (i) in one variable (ii) in two variables
- **32.** The force applied on a body is directly proportional to the acceleration produced in the body. Write an equation to express this situation and plot the graph of the equation.
- 33. Draw the graphs of the equations x y + 1 = 0 and 3x + 2y 12 = 0. Determine the coordinates of the vertices of the triangle formed by these lines and the x-axis, and shade the triangular region.
- **34.** Draw the graphs of the equations y = x and y = -x in the same graph paper. Find the coordinates of the point where two lines intersect.
- **35.** Draw the graphs of the equations 3x 2y = 4 and x + y 3 = 0 in the same graph paper. Find the coordinates of the point where two lines intersect.
- **36.** Draw the graphs of the equations 3x 2y + 6 = 0 and x + 2y 6 = 0 in the same graph paper. Find the area of triangle formed by the two lines and x axis.
- 37. If the number of hours for which a labourer works is x and y are his wages (in rupees) and y = 2x 1, draw the graph of work wages equation. From the graph, find the wages of the labourer if he works for 6 hours.
- **38.** A and B are friends. A is elder to B by 5 years. B's sister C is half the age of B while A's father D is 8 years older than twice the age of B. If the present age of D is 48 years, find the present ages of A, B and C.
- **39.** A three-wheeler scoter charges Rs. 10 for the first km and Rs. 4.50 each for every subsequent km. For a distance of x km, an amount of Rs. Y is paid. Write the linear equation representing the above information.

40. Solve:
$$5x + \frac{7}{2} = \frac{3}{2}x - 14$$

41. Solve:
$$\frac{6x+1}{3}+1=\frac{x-3}{6}$$

42. Solve:
$$5x - 2(2x - 7) = 2(3x - 1) + \frac{7}{2}$$

43. Solve:
$$\frac{3x-2}{4} - \frac{2x+3}{3} = \frac{2}{3} - x$$

44. Solve:
$$\frac{3x+2}{7} + \frac{4(x+1)}{5} = \frac{2}{3}(2x+1)$$

- **45.** Solve: $x \frac{x-1}{2} = 1 \frac{x-2}{3}$
- **46.** Solve: $\frac{x}{2} \frac{1}{5} = \frac{x}{3} + \frac{1}{4}$
- **47.** Solve: $\frac{x}{2} \frac{3x}{4} + \frac{5x}{6} = 21$
- **48.** Solve: $x + 7 \frac{8x}{3} = \frac{17}{6} \frac{5x}{2}$
- **49.** Solve: $\frac{3x+4}{2-6x} = \frac{-2}{5}$
- **50.** Solve: $\frac{7x+4}{x+2} = \frac{-4}{3}$
- **51.** The ages of Rahul and Haroon are in the ratio 5:7. Four years later the sum of their ages will be 56 years. What are their present ages?
- **52.** Baichung's father is 26 years younger than Baichung's grandfather and 29 years older than Baichung. The sum of the ages of all the three is 135 years. What is the age of each one of them?
- **53.** Lakshmi is a cashier in a bank. She has currency notes of denominations Rs 100, Rs 50 and Rs 10, respectively. The ratio of the number of these notes is 2:3:5. The total cash with Lakshmi is Rs 4,00,000. How many notes of each denomination does she have?
- **54.** I have a total of Rs 300 in coins of denomination Re 1, Rs 2 and Rs 5. The number of Rs 2 coins is 3 times the number of Rs 5 coins. The total number of coins is 160. How many coins of each denomination are with me?
- **55.** The organisers of an essay competition decide that a winner in the competition gets a prize of Rs 100 and a participant who does not win gets a prize of Rs 25. The total prize money distributed is Rs 3,000. Find the number of winners, if the total number of participants is 63.
- **56.** The digits of a two-digit number differ by 3. If the digits are interchanged, and the resulting number is added to the original number, we get 143. What can be the original number?
- **57.** Arjun is twice as old as Shriya. Five years ago his age was three times Shriya's age. Find their present ages.
- **58.** A positive number is 5 times another number. If 21 is added to both the numbers, then one of the new numbers becomes twice the other new number. What are the numbers?

- **59.** Sum of the digits of a two-digit number is 9. When we interchange the digits, it is found that the resulting new number is greater than the original number by 27. What is the two-digit number?
- **60.** One of the two digits of a two digit number is three times the other digit. If you interchange the digits of this two-digit number and add the resulting number to the original number, you get 88. What is the original number?
- **61.** Shobo's mother's present age is six times Shobo's present age. Shobo's age five years from now will be one third of his mother's present age. What are their present ages?
- **62.** There is a narrow rectangular plot, reserved for a school, in Mahuli village. The length and breadth of the plot are in the ratio 11:4. At the rate Rs100 per metre it will cost the village panchayat Rs 75000 to fence the plot. What are the dimensions of the plot?
- **63.** A grandfather is ten times older than his granddaughter. He is also 54 years older than her. Find their present ages.
- **64.** A man's age is three times his son's age. Ten years ago he was five times his son's age. Find their present ages.
- **65.** Present ages of Anu and Raj are in the ratio 4:5. Eight years from now the ratio of their ages will be 5:6. Find their present ages.

MCQ WORKSHEET-I CLASS IX: CHAPTER – 8 QUADRILATERALS

1.	The bisectors of a (a) trapezium	ingles of a paral (b) rectangle	•	a: (d) kite	
2.	quadrilaterals are	nadrilaterals are 00°, 120° 80°, 100°			6. The respective angles of the 80^{0} , 60^{0} 120^{0} , 60^{0} .
3.	If diagonals of a qualification (a) parallelogram	_	_		other at right angles, then it is a: (d) trapezium
4.	If in rectangle AB (a) parallelogr				∠C, then ABCD is a: (d) trapezium
5.	of it.	joining the mid (b) one third	-		triangle is parallel to the third side and
6.	Line segment join other.	ing the mid poi	nts of the oppo	site side	s of a quadrilateral each
	(a) trisect	(b) bisect	(c) coincide	(d) nor	ne of these.
7.	Three angles of a (a) 90^{0}	quadrilateral ar (b) 95 ⁰	re 75^0 , 90^0 and (c) 105^0	75 ⁰ . The (d) 120	fourth angle is
8.	_	ectangle is inclin	ned to one side	of the re	ectangle at 25°. The acute angle between
	the diagonals is (a) 55^0	(b) 50^0	(c) 40^0	(d) 25^0	
9.	ABCD is a rhomb	ous such that \angle . (b) 50^0	$ACB = 40^{0}$, the (c) 40^{0}	en $\angle ADI$ (d) 60^0	3 =
10.	-	• •	ng the midpoin	ts of the	sides of a quadrilateral PQRS, taken in
	order, is a rectang (a) PQRS is a (c) diagonals of	•	erpendicular		RS is an parallelogram gonals of PQRS are equal.
11.	-	• •	ng the midpoin	ts of the	sides of a quadrilateral PQRS, taken in
	order, is a rhombu (a) PQRS is a (c) diagonals of	,	erpendicular		RS is an parallelogram gonals of PQRS are equal.
12.	If angles A, B, C a ABCD is a	and D of the qu	ıadrilateral AB(CD, take	en in order are in the ratio 3:7:6:4, then
	(a) parallelogr	ram (b) kit	e (c) rho	ombus	(d) trapezium

MCQ WORKSHEET-II CLASS IX: CHAPTER – 8 QUADRILATERALS

1.	 If bisectors of ∠A and ∠B of a quadrilateral ABCD intersect each other at P, of Q, of ∠C and ∠D at R and of ∠D and ∠A at S, then PQRS is a (a) parallelogram (b) rectangle (c) rhombus (d) quadrilateral whose opposite angles are supplementary. 	of ∠B and ∠C at
2.	2. If APB and CQD are two parallel lines then bisectors of the angles APQ. BPQ, form a(a) parallelogram(b) square(c) rhombus(d) rectangle	CQP and PQD
3.	3. The figure obtained the midpoints of the sides of the sides of a rhombus, taken (a) parallelogram (b) square (c) rhombus (d) rectangle	in order is a
4.	 4. D and E are the midpoints of the sides AB and AC of ΔABC and O is any poin joined to A. If P and Q are the midpoints of OB and OC respectively, then DE (a) parallelogram (b) square (c) rhombus (d) rectangle 	
5.	 5. The quadrilateral formed by joining the midpoints of the sides of a quadrilatera order, is a square only if (a) PQRS is a rhombus (b) diagonals of PQRS are equal and (c) diagonals of PQRS are perpendicular (d) diagonals of PQRS are eq 	perpendicular
6.	6. The diagonals AC and BD of a parallelogram ABCD intersect each other at the $\angle DAC = 32^0$ and $\angle AOB = 70^0$, then $\angle DBC$ is equal to (a) 24^0 (b) 86^0 (c) 38^0 (d) 32^0	e point O. If
7.	7. Which of the following is not true for a parallelogram? (a) opposite sides are equal (b) opposite angles are bisected by the diagonal (c) opposite angles are equal (d) diagonals bisect each other.	nals
8.	8. D and E are the midpoints of the sides AB and AC of \triangle ABC. DE is produced to CF is equal and parallel to DA, we need an additional information which is (a) \angle DAE = \angle EFC (b) AE = EF (c) DE = EF (d) \angle ADE = \angle ECF	to F. To prove that
9.	9. The bisectors of any two adjacent angles of a parallelogram intersect at (a) 45^0 (b) 30^0 (c) 90^0 (d) 60^0	
10.	10. The bisectors of the angles of a parallelogram enclose a (a) parallelogram (b) square (c) rhombus (d) rectangle	
11.	11. ABCD is a parallelogram and E and F are the centroid of triangle ABD and BC then EF = (a) AE (b) BE (c) CE (d) DE	CD respectively,
12.	12. ABCD is a parallelogram, M is the midpoint of BD and BM bisects \angle B, then \angle (a) 45^0 (b) 75^0 (c) 90^0 (d) 60^0	∠AMB =

MCQ WORKSHEET-III **OUADRILATERALS**

1.	Given four points A, B, C, D such that three points A, B, C are collinear. By joining these points
	in order, we get

(a) a straight line (b) a triangle (c) quadrilateral

(d) none of these

2. In quadrilateral ABCD, AB = BC and CD = DA, then the quadrilateral is a

(a) parallelogram (b) rhombus (c) kite

(d) trapezium

3. Given a triangular prism, then what can we conclude about the lateral faces.

(a)faces are rectangular

(b) faces are parallelogram

(c) faces are trapeziums

(d) square

4. The bisectors of the angles of parallelogram enclose a

(a) parallelogram (b) rhombus (c) rectangle (d) square

5. Which if the following quadrilateral a rhombus?

(a) diagonals bisect each other

(b) all the four sides are equal

(c) diagonals bisect opposite angles

(d) one angle between the diagonals is 60° .

6. Consecutive angles of parallelogram are

(a) equal (b) supplementary

(c) complementary

(d) none of these

7. Given a rectangle ABCD and P, Q, R, S midpoints of AB, BC, CD and DA respectively. Length of diagonal of rectangle is 8 cm, the quadrilateral PQRS is

(a) parallelogram with adjacent sides 4 cm

(b) rectangle with adjacent sides 4 cm

(c) rhombus with side 4 cm

(d) square with side 4 cm


8. In parallelogram ABCD, bisectors of angles and B intersect each other at O. The value of AOB

(a) 30^{0}

(b) 60^0

(c) 90^0

(d) 120^0



9. If an angle of a parallelogram is two-third of its adjacent angle, the smallest angle of the parallelogram is

(a) 108^0

(b) 54^0

(c) 72^0

(d) 81^0

10. If the degree measures of the angles of quadrilateral are 4x, 7x, 9x and 10x, what is the sum of the measures of the smallest angle and largest angle?

(a) 140^0

(b) 150^0

(c) 168°

(d) 180^0


11. In the given figure ABCD is a parallelogram, what is the sum of the angle x, y and z?

(a) 140^{0}

(b) 150^0

(c) 168^0

(d) 180^{0}



12. In the above figure ABCD is a rhombus, then the value of x is


(a) 40^0

(b) 50^0

(c) 60^0

(d) 80^0

13. In the below figure ABCD is a rhombus, then the value of x is (a) 20^0 (b) 25^0 (c) 30^0 (d) 50^0



14. ABCD is a parallelogram and AB = 12cm, AD = 8 cm then perimeter of parallelogram ABCD is

(a) 20 cm

(b) 40 cm

(c) 60 cm

(d) 80 cm

15. In parallelogram CARS, $m \angle C = 5x - 20$ and $m \angle A = 3x + 40$. Find the value of x.

(a) 15

(b) 20

(c) 30

(d) 130

MCQ WORKSHEET-IV CLASS IX: CHAPTER – 8 QUADRILATERALS

1. If two consecutive sides of a rhombus are represented by 3x - 6 and x + 14, then the perimeter of the rhombus is

(a) 10

(b) 24

(c) 70


(d) 96


2. Points *A*, *B*, *C*, and *D* are midpoints of the sides of square *JETS*. If the area of *JETS* is 36, the area of *ABCD* is

(a) $9\sqrt{2}$

(b) $18\sqrt{2}$ (c) 9

(d) 18





3. In the accompanying above diagram of rectangle *ABCD*, $m \angle ABE = 30$ and $m \angle CFE = 144$. Find $m \angle BEF$.

(a) 36°

(b) 60°

(c) 84°

(d) 90°

4. A quadrilateral must be a parallelogram if one pair of opposite sides is

(a) congruent, only. (b) parallel and the other pair of opposite sides is congruent.

(c) congruent and parallel. (d) parallel only

5. The perimeter of a rhombus is 60. If the length of its longer diagonal measures 24, the length of the shorter diagonal is

(a) 20

(b) 18

(c) 15

(d) 9

6. Find the perimeter of a rhombus whose diagonals measure 12 and 16.

(a) 10

(b) 20

(c) 40

(d) 80

7. Which statement is true about all parallelograms?

(a) The diagonals are congruent.

(b) The area is the product of two adjacent sides.

(c) The opposite angles are congruent.

- (d) The diagonals are perpendicular to each other.
- **8.** Which property is true for all trapezoids?

(a) Only two opposite sides are parallel.

(b) Consecutive angles are supplementary.

(c) The base angles are congruent.

(d) All angles are equal.


9. In the diagram at the right, ABCD is a square, diagonal BD is extended through D to E. AD = DE and AE is drawn as given in figure. What is $m \angle DAE$?

(a) 22.5

(b) 45.0

(c) 112.5

(d) 135.0



- **10.** In the above right sided diagram of rhombus *ABCD*, $m \angle CAB = 35^{\circ}$. Find $m \angle CDA$. (a) 35° (b) 70° (c) 110° (d) 140°
- **11.** In rectangle *DATE*, diagonals DT and AE intersect at *S*. If AE = 40 and ST = x + 5, find the value of *x*.

(a) 10

(b) 18

(c) 15

(d) 20

- 12. A parallelogram must be a rectangle if its diagonals
 - (a) bisect each other.
 - (b) bisect the angles to which they are drawn.
 - (c) are perpendicular to each other.
 - (d) are congruent.

MCQ WORKSHEET-V **OUADRILATERALS**

- 1. Three angles of a quadrilateral are 75^{0} , 90^{0} and 75^{0} . The fourth angle is (A) 90^{0} (B) 95^{0} (C) 105^{0} (D) 120^{0}
- 2. A diagonal of a rectangle is inclined to one side of the rectangle at 25. The acute angle between the diagonals is


(A) 55^{0} (B) 50^{0} (C) 40^{0} (D) 25^{0}

- **3.** ABCD is a rhombus such that $\angle ACB = 40^{\circ}$. Then $\angle ADB$ is (A) 40^{0} (B) 45^{0} (C) 50^{0} (D) 60^{0}
- 4. The quadrilateral formed by joining the mid-points of the sides of a quadrilateral PQRS, taken in order, is a rectangle, if
 - (A) PQRS is a rectangle
 - (B) PQRS is a parallelogram
 - (C) diagonals of PQRS are perpendicular
 - (D) diagonals of PQRS are equal.
- 5. The quadrilateral formed by joining the mid-points of the sides of a quadrilateral PORS, taken in order, is a rhombus, if
 - (A) PQRS is a rhombus
 - (B) PQRS is a parallelogram
 - (C) diagonals of PQRS are perpendicular
 - (D) diagonals of PQRS are equal.
- **6.** If angles A, B, C and D of the quadrilateral ABCD, taken in order, are in the ratio 3:7:6:4, then ABCD is a
 - (A) rhombus (B) parallelogram
 - (C) trapezium (D) kite
- 7. If bisectors of $\angle A$ and $\angle B$ of a quadrilateral ABCD intersect each other at P, of $\angle B$ and $\angle C$ at Q, of $\angle C$ and $\angle D$ at R and of $\angle D$ and $\angle A$ at S, then PQRS is a
 - (A) rectangle
- (B) rhombus
- (C) parallelogram
- (D) quadrilateral whose opposite angles are supplementary
- 8. If APB and CQD are two parallel lines, then the bisectors of the angles APQ, BPQ, CQP and POD form
 - (A) a square
- (B) a rhombus
- (C) a rectangle
- (D) any other parallelogram
- 9. The figure obtained by joining the mid-points of the sides of a rhombus, taken in order, is
 - (A) a rhombus
- (B) a rectangle
- (C) a square
- (D) any parallelogram
- 10. D and E are the mid-points of the sides AB and AC of \triangle ABC and O is any point on side BC. O is joined to A. If P and Q are the mid-points of OB and OC respectively, then DEQP is
 - (A) a square
- (B) a rectangle
- (C) a rhombus (D) a parallelogram


- **11.** The figure formed by joining the mid-points of the sides of a quadrilateral ABCD, taken in order, is a square only if,
 - (A) ABCD is a rhombus
 - (B) diagonals of ABCD are equal
 - (C) diagonals of ABCD are equal and perpendicular
 - (D) diagonals of ABCD are perpendicular.
- **12.** The diagonals AC and BD of a parallelogram ABCD intersect each other at the point O. If $\angle DAC = 32^0$ and $\angle AOB = 70^0$, then $\angle DBC$ is equal to
 - (A) 24^0 (B) 86^0 (C) 38^0 (D) 32^0
- 13. D and E are the mid-points of the sides AB and AC respectively of \triangle ABC. DE is produced to F. To prove that CF is equal and parallel to DA, we need an additional information which is
 - (A) $\angle DAE = \angle EFC$
 - (B) AE = EF
 - (C) DE = EF
 - (D) $\angle ADE = \angle ECF$.
- **14.** Which of the following is not true for a parallelogram?
 - (A) opposite sides are equal
 - (B) opposite angles are equal
 - (C) opposite angles are bisected by the diagonals
 - (D) diagonals bisect each other.

PRACTICE QUESTIONS <u>CLASS IX: CHAPTER - 8</u> QUADRILATERALS

1. In the below figure, bisectors of $\angle B$ and $\angle D$ of quadrilateral ABCD meets CD and AB, produced at P and Q respectively. Prove that $\angle P + \angle Q = \frac{1}{2} (\angle ABC + \angle ADC)$




2. In \triangle ABC, AD is the median through A and E is the midpoint of AD. BE produced meets AC in F such that BF || DK. Prove that AF = $\frac{1}{3}$ AC




- 3. In a parallelogram, the bisectors of any two consecutive angles intersects at right angle. Prove it.
- **4.** In a quadrilateral ABCD, AO and BO are the bisectors of $\angle A$ and $\angle B$ respectively. Prove that $\angle AOB = \frac{1}{2}(\angle C + \angle D)$
- **5.** ABCD is a square E, F, G, H are points on AB, BC, CD and DA respectively such that AE = BF = CG = DH. Prove that EFGH is a square.
- **6.** ABCD is a parallelogram. If its diagonals are equal, then find the value of \angle ABC.

7. In the below figure, ABCD is a parallelogram and $\angle DAB = 60^{\circ}$. If the bisector AP and BP of angles A and B respectively meet P on CD. Prove that P is the midpoint of CD.



8. In the below given figure, ABCD is a parallelogram and E is the midpoint of side BC, DE and AB when produced meet at F. Prove that AF = 2AB.



9. \triangle ABC is right angle at B and P is the midpoint of AC and Q is any point on AB. Prove that (i) PQ \perp AB (ii) Q is the midpoint of AB (iii) PA = $\frac{1}{2}$ AC

10. The diagonals of a parallelogram ABCD intersect at O. A line through O intersects AB at X and DC at Y. Prove that OX = OY.

11. ABCD is a parallelogram. AB is produced to E so that BE = AB. Prove that ED bisects BC.

12. If ABCD is a quadrilateral in which AB \parallel CD and AD = BC, prove that \angle A = \angle B.

13. Diagonals AC and BD of a parallelogram ABCD intersect each other at O. If OA = 3 cm and OD = 2 cm, determine the lengths of AC and BD.


14. In quadrilateral ABCD, $\angle A + \angle D = 180^{\circ}$. What special name can be given to this quadrilateral?

15. All the angles of a quadrilateral are equal. What special name is given to this quadrilateral?


16. In $\triangle ABC$, AB = 5 cm, BC = 8 cm and CA = 7 cm. If D and E are respectively the mid-points of AB and BC, determine the length of DE.

17. Diagonals of a quadrilateral ABCD bisect each other. If $\angle A = 35^{\circ}$, determine $\angle B$.

- **18.** Opposite angles of a quadrilateral ABCD are equal. If AB = 4 cm, determine CD.
- **19.** In the below figure, it is given that BDEF and FDCE are parallelograms. Can you say that BD = CD? Why or why not?




- **20.** In the above right sided figure, ABCD and AEFG are two parallelograms. If $\angle C = 55^{\circ}$, determine $\angle F$.
- **21.** Angles of a quadrilateral are in the ratio 3:4:4:7. Find all the angles of the quadrilateral.
- **22.** In the below figure, X and Y are respectively the mid-points of the opposite sides AD and BC of a parallelogram ABCD. Also, BX and DY intersect AC at P and Q, respectively. Show that AP = PO = QC.




- **23.** One angle of a quadrilateral is of 1084 and the remaining three angles are equal. Find each of the three equal angles.
- **24.** ABCD is a trapezium in which AB || DC and $\angle A = \angle B = 45^{\circ}$. Find angles C and D of the trapezium.
- **25.** The angle between two altitudes of a parallelogram through the vertex of an obtuse angle of the parallelogram is 60. Find the angles of the parallelogram.
- **26.** ABCD is a rhombus in which altitude from D to side AB bisects AB. Find the angles of the rhombus.
- **27.** E and F are points on diagonal AC of a parallelogram ABCD such that AE = CF. Show that BFDE is a parallelogram.
- **28.** ABCD is a parallelogram and $\angle DAB = 60^{\circ}$. If the bisectors AP and BP of angles A and B respectively, meet at P on CD, prove that P is the midpoint of CD.
- **29.** ABCD is a parallelogram. AM and BN are respectively, the perpendiculars from A and B to DC and CD produced. Prove that AM = BN.

- **30.** ABCD is a parallelogram. L and M are points on AB and DC respectively and AL = CM. Prove that LM and BD bisect each other.
- **31.** Points P and Q have been taken on opposite sides AB and CD, respectively of a parallelogram ABCD such that AP = CQ (see below figure). Show that AC and PQ bisect each other.




32. In the below figure, P is the mid-point of side BC of a parallelogram ABCD such that $\angle BAP = \angle DAP$. Prove that AD = 2CD.



- **33.** D, E and F are the mid-points of the sides BC, CA and AB, respectively of an equilateral triangle ABC. Show that Δ DEF is also an equilateral triangle.
- **34.** E is the mid-point of the side AD of the trapezium ABCD with AB \parallel DC. A line through E drawn parallel to AB intersect BC at F. Show that F is the mid-point of BC.
- **35.** PQ and RS are two equal and parallel line-segments. Any point M not lying on PQ or RS is joined to Q and S and lines through P parallel to QM and through R parallel to SM meet at N. Prove that line segments MN and PQ are equal and parallel to each other.
- **36.** Prove that "If the diagonals of a quadrilateral bisect each other, then it is a parallelogram".
- **37.** Prove that "A quadrilateral is a parallelogram if a pair of opposite sides is equal and parallel".
- **38.** Prove that "A quadrilateral is a parallelogram if its opposite angles are equal".
- **39.** Show that the diagonals of a rhombus are perpendicular to each other.
- **40.** Two parallel lines l and m are intersected by a transversal p. Show that the quadrilateral formed by the bisectors of interior angles is a rectangle.
- **41.** Show that the bisectors of angles of a parallelogram form a rectangle.
- **42.** If the diagonals of a parallelogram are equal, then show that it is a rectangle.
- **43.** Show that if the diagonals of a quadrilateral bisect each other at right angles, then it is a rhombus.


- **44.** Show that the diagonals of a square are equal and bisect each other at right angles.
- **45.** Show that if the diagonals of a quadrilateral are equal and bisect each other at right angles, then it is a square.
- **46.** In the adjoining figure, ABCD is a parallelogram in which P and Q are mid-points of opposite sides AB and CD. If AQ intersects DP at S and BQ intersects CP at R, show that:
 - (i) APCQ is a parallelogram.
 - (ii) DPBQ is a parallelogram.
 - (iii) PSQR is a parallelogram.



- **47.** The angles of quadrilateral are in the ratio 3 : 5 : 9 : 13. Find all the angles of the quadrilateral.
- **48.** Prove that "The line segment joining the mid-points of two sides of a triangle is parallel to the third side and half of it".
- **49.** Prove that "The line drawn through the mid-point of one side of a triangle, parallel to another side bisects the third side".
- **50.** Show that if the diagonals of a quadrilateral are equal and bisect each other at right angles, then it is a square.
- **51.** ABCD is a rhombus and P, Q, R and S are the mid-points of the sides AB, BC, CD and DA respectively. Show that the quadrilateral PQRS is a rectangle.
- **52.** ABC is a triangle right angled at C. A line through the mid-point M of hypotenuse AB and parallel to BC intersects AC at D. Show that
 - (i) D is the mid-point of AC
- (ii) MD \perp AC


(iii)
$$CM = MA = \frac{1}{2}AB$$

53. In \triangle ABC, D, E and F are respectively the mid-points of sides AB, BC and CA. Show that \triangle ABC is divided into four congruent triangles by joining D, E and F.




54. Prove that the quadrilateral formed by joining the mid-points of the sides of a quadrilateral, in order, is a parallelogram.

- **55.** l, m and n are three parallel lines intersected by transversals p and q such that l, m and n cut off equal intercepts AB and BC on p. Show that l, m and n cut off equal intercepts DE and EF on q.
- **56.** In parallelogram ABCD, two points P and Q are taken on diagonal BD such that DP = BQ. Show that: APCQ is a parallelogram



57. In the below figure, $AB \parallel DE$, AB = DE, $AC \parallel DF$ and AC = DF. Prove that $BC \parallel EF$ and BC = EF.



- **58.** A square is inscribed in an isosceles right triangle so that the square and the triangle have one angle common. Show that the vertex of the square opposite the vertex of the common angle bisects the hypotenuse.
- **59.** ABCD is a rectangle and P, Q, R and S are mid-points of the sides AB, BC, CD and DA respectively. Show that the quadrilateral PQRS is a rhombus.
- **60.** Show that the line segments joining the mid-points of the opposite sides of a quadrilateral bisect each other.
- **61.** E and F are respectively the mid-points of the non-parallel sides AD and BC of a trapezium ABCD. Prove that EF || AB and $EF = \frac{1}{2}(AB + CD)$
- **62.** Prove that the quadrilateral formed by the bisectors of the angles of a parallelogram is a rectangle.
- **63.** P and Q are points on opposite sides AD and BC of a parallelogram ABCD such that PQ passes through the point of intersection O of its diagonals AC and BD. Show that PQ is bisected at O.
- **64.** ABCD is a rectangle in which diagonal BD bisects ∠B. Show that ABCD is a square.
- **65.** D, E and F are respectively the mid-points of the sides AB, BC and CA of a triangle ABC. Prove that by joining these mid-points D, E and F, the triangles ABC is divided into four congruent triangles.

- **66.** Prove that the line joining the mid-points of the diagonals of a trapezium is parallel to the parallel sides of the trapezium.
- **67.** P is the mid-point of the side CD of a parallelogram ABCD. A line through C parallel to PA intersects AB at Q and DA produced at R. Prove that DA = AR and CQ = QR.
- **68.** E is the mid-point of a median AD of \otimes ABC and BE is produced to meet AC at F. Show that $AF = \frac{1}{3} AC$
- **69.** Show that the quadrilateral formed by joining the mid-points of the consecutive sides of a square is also a square.
- **70.** In a parallelogram ABCD, AB = 10 cm and AD = 6 cm. The bisector of \angle A meets DC in E. AE and BC produced meet at F. Find the length of CF.
- **71.** P, Q, R and S are respectively the mid-points of the sides AB, BC, CD and DA of a quadrilateral ABCD in which AC = BD. Prove that PQRS is a rhombus.
- **72.** P, Q, R and S are respectively the mid-points of the sides AB, BC, CD and DA of a quadrilateral ABCD such that $AC \perp BD$. Prove that PQRS is a rectangle.
- **73.** P, Q, R and S are respectively the mid-points of sides AB, BC, CD and DA of quadrilateral ABCD in which AC = BD and $AC \perp BD$. Prove that PQRS is a square.
- **74.** A diagonal of a parallelogram bisects one of its angles. Show that it is a rhombus. P and Q are the mid-points of the opposite sides AB and CD of a parallelogram
- **75.** In quadrilateral ABCD. AQ intersects DP at S and BQ intersects CP at R. Show that PRQS is a parallelogram.
- **76.** ABCD is a quadrilateral in which AB \parallel DC and AD = BC. Prove that \angle A = \angle B and \angle C = \angle D.
- 77. ABC is a triangle. D is a point on AB such AD = $\frac{1}{4}$ AB and E is a point on AC such that AE = $\frac{1}{4}$ AC. Prove that DE = $\frac{1}{4}$ BC.
- **78.** Let ABC be an isosceles triangle in which AB = AC. If D, E, F be the midpoints of the sides BC, CA and AB respectively, show that the segment AD and EF bisect each other at right angles.
- **79.** Prove that the line segment joining the mid-points of the diagonals of a trapezium is parallel to each of the parallel sides and is equal to half the difference of these sides.
- **80.** P is the midpoint of side AB of a parallelogram ABCD. A line through B parallel to PD meets DC at Q and AD produced at R. Prove that (i) AR = 2BC (ii) BR = 2BQ.

MCQ WORKSHEET-I

1. Parallelograms on the same base and between the same parallels are _____ in area.

(a) half

- (b) one third (c) one fourth (d) equal
- 2. If a triangle and a parallelogram are on the same base and between the same parallels, then prove that the area of the triangle is _____ of the area of the parallelogram.


- (b) one third (c) one fourth (d) equal
- 3. In the below Fig., ABCD is a parallelogram, AE \perp DC and CF \perp AD. If AB = 16 cm, AE = 8 cm and CF = 10 cm, find AD.

(a) 10.8

(b) 11.8

(c) 12.8

(d) 13.8



4. In the above Fig., ABCD is a parallelogram, AE \perp DC and CF \perp AD. If AD = 9 cm, CF = 4 cm and DC = 12 cm, find AE.

(a) 3 cm


- (b) 6 cm
- (c) 9 cm
- (d) 2 cm
- **5.** In the above Fig., ABCD is a parallelogram, AE \perp DC and CF \perp AD. If AD = 5 cm, CF = 8 cm and AE = 4 cm, find AB.

(a) 10 cm

- (b) 20 cm
- (c) 9 cm
- (d) 12 cm
- 6. If E,F,G and H are respectively the mid-points of the sides of a parallelogram ABCD, then ar (EFGH) =

- (a) ar(ABCD) (b) $\frac{1}{2}$ ar(ABCD) (c) $\frac{1}{3}$ ar(ABCD) (d) $\frac{1}{4}$ ar(ABCD)
- 7. In the below Fig., ABCD is a parallelogram and EFCD is a rectangle, then ar (EFGH) =

(a) ar(ABCD) (b) $\frac{1}{2}$ ar(ABCD) (c) $\frac{1}{3}$ ar(ABCD) (d) $\frac{1}{4}$ ar(ABCD)



- **8.** Two triangles on the same base (or equal bases) and between the same parallels are _____ in area.
 - (a) half
- (b) one third (c) one fourth (d) equal

9. A median of a triangle divides it into two triangles of _____ areas.

- (a) half
- (b) one third (c) one fourth (d) equal

10. Area of a triangle is _____ the product of its base and the corresponding altitude.

- (a) half
- (b) one third (c) one fourth (d) equal

11. Area of a parallelogram is _____ the product of its base and the corresponding altitude.

- (b) one third (c) one fourth (d) equal

12. The area of a rhombus, the lengths of whose diagonals are 16 cm and 24 cm respectively, is


- (a) 192 cm^2 (b) 120 cm^2 (c) 384 cm^2 (d) none of these

13. The area of a trapezium whose parallel sides are 9 cm and 6 cm and the distance between these sides is 8 cm is

- (a) 92 cm^2
- (b) 120 cm^2 (c) 60 cm^2
- (d) none of these


14. The area of a below quadrilateral is

- (a) 112 cm^2 (b) 120 cm^2 (c) 114 cm^2
- (d) none of these



15. The area of a below quadrilateral is

- (a) 150 cm^2 (b) 180 cm^2 (c) 100 cm^2
- (d) none of these



Prepared by: M. S. KumarSwamy, TGT(Maths)

MCQ WORKSHEET-II AREAS OF ||gms AND TRIANGLES

1. D, E and F are respectively the mid-points of the sides BC, CA and AB of a \triangle ABC, then ar (DEF)

(a) $\operatorname{ar}(ABC)$ (b) $\frac{1}{2}\operatorname{ar}(ABC)$ (c) $\frac{1}{2}\operatorname{ar}(ABC)$ (d) $\frac{1}{4}\operatorname{ar}(ABC)$

2. D, E and F are respectively the mid-points of the sides BC, CA and AB of a \triangle ABC, then ar (BDEF)

(a) $\operatorname{ar}(ABC)$ (b) $\frac{1}{2}\operatorname{ar}(ABC)$ (c) $\frac{1}{3}\operatorname{ar}(ABC)$ (d) $\frac{1}{4}\operatorname{ar}(ABC)$

3. In a triangle ABC, E is the mid-point of median AD, then ar (BED) =

(a) $\operatorname{ar}(ABC)$ (b) $\frac{1}{2}\operatorname{ar}(ABC)$ (c) $\frac{1}{3}\operatorname{ar}(ABC)$ (d) $\frac{1}{4}\operatorname{ar}(ABC)$

4. In \triangle ABC, E is any point on median AD then ar (ABE) =

(a) $\operatorname{ar}(ACE)$ (b) $\frac{1}{2}\operatorname{ar}(ACE)$ (c) $\frac{1}{3}\operatorname{ar}(ACE)$ (d) $\frac{1}{4}\operatorname{ar}(ACE)$

5. ABC and ABD are two triangles on the same base AB. If line- segment CD is bisected by AB at O then ar(ABC) =


(a) $\operatorname{ar}(ABD)$ (b) $\frac{1}{2}\operatorname{ar}(ABD)$ (c) $\frac{1}{3}\operatorname{ar}(ABD)$ (d) $\frac{1}{4}\operatorname{ar}(ABD)$

6. In Fig. ABCD is a quadrilateral and BE || AC and also BE meets DC produced at E then the area of \triangle ADE is to the area of the quadrilateral ABCD.

(a) half

(b) one third (c) one fourth

(d) equal



7. In the above sided Fig, P is a point in the interior of a parallelogram ABCD then ar (APB) + ar (PCD) =

(a) $\operatorname{ar}(ABCD)$ (b) $\frac{1}{2}\operatorname{ar}(ABCD)$ (c) $\frac{1}{2}\operatorname{ar}(ABCD)$ (d) $\frac{1}{4}\operatorname{ar}(ABCD)$

8. In Fig. PQRS and ABRS are parallelograms and X is any point on side BR then ar (AX S) =


(a) ar(PQRS) (b) $\frac{1}{2}ar(PQRS)$ (c) $\frac{1}{3}ar(PQRS)$ (d) $\frac{1}{4}ar(PQRS)$

9. In Fig, PQRS and ABRS are parallelograms and X is any point on side BR then ar (ABRS) =


(a) $\operatorname{ar}(PQRS)$ (b) $\frac{1}{2}\operatorname{ar}(PQRS)$ (c) $\frac{1}{3}\operatorname{ar}(PQRS)$ (d) $\frac{1}{4}\operatorname{ar}(PQRS)$

- 10. P and Q are any two points lying on the sides DC and AD respectively of a parallelogram ABCD then ar (APB) =
 - (a) $\operatorname{ar}(BQC)$ (b) $\frac{1}{2}\operatorname{ar}(BQC)$ (c) $\frac{1}{3}\operatorname{ar}(BQC)$ (d) $\frac{1}{4}\operatorname{ar}(BQC)$
- 11. In the below figure, ABCD is trapezium in which AB || DC and its diagonals AC and BD intersect at O then ar(AOD) =

 - (a) $\operatorname{ar}(\operatorname{BOC})$ (b) $\frac{1}{2}\operatorname{ar}(\operatorname{BOC})$ (c) $\frac{1}{3}\operatorname{ar}(\operatorname{BOC})$ (d) $\frac{1}{4}\operatorname{ar}(\operatorname{BOC})$




- 12. In the adjoining figure, ABCD is a quadrilateral in which diagonal BC = 14 cm. If AL \perp BD and $CM \perp BD$ such that AL = 8cm and CM = 6 cm, then the area of quadrilateral is
 - (a) 90 cm^2
- (b) 95 cm^2
- (c) 98 cm^2
- (d) none of these





MCQ WORKSHEET-III

- 1. Given figure A and figure B such that area(A) = 20 sq. units and area(B) = 20 sq. units. The
 - (a) figure A and B are congruent


- (b) figure A and B are all not congruent.
- (c) figure A and B may or may not be congruent
- (d) none of these.
- 2. Out of the given figures, mark which are not on the same base but between same parallels









(d) none of these



- 3. In the given figure, BD = DE = EC. Mark the correct option
 - (a) $ar(\Delta ABD) = ar(\Delta AEC)$
 - (b) $ar(\Delta DBA) = ar(\Delta ADC)$
 - (c) $ar(\Delta ADE) = \frac{1}{3}ar(\Delta ABC)$
 - (d) $ar(\Delta ABE) = \frac{2}{3} ar(\Delta ABC)$



- **4.** ABCDE is a pentagon. A line through B line parallel to AC meet DC produced at F.
 - (a) $ar(\Delta ACB) = ar(\Delta AEC)$
 - (b) $ar(\Delta ABF) = ar(\Delta CABF)$
 - (c) $ar(\Delta ACF) = ar(\Delta CBF)$
 - (d) $ar(\Delta ABF) = ar(\Delta ABC)$
- **5.** In the below figure, ABCD is a parallelogram, then $ar(\Delta AFB)$ is
 - (a) 16 cm^2
- (b) 8 cm²
- (c) 4 cm^2
- (d) 2 cm^2




6. In the given figure, ABCD and ABFE are parallelograms and ar(quad. EABC) = 17 cm^2 , ar($||^{gm}$ ABCD) = 25 cm^2 then $ar(\Delta BCF)$ is

(a) 4 cm^2

(b) 8 cm²

(c) 4.8 cm^2

(d) 6 cm²



7. Given $ar(\Delta ABC) = 32cm^2$, AD is median of ΔABC , and BE is median of ΔABD . IF BO is median of $\triangle ABE$, the ar($\triangle BOE$) is


(a) 16 cm^2

(b) 4 cm^2

(c) 2 cm^2

(d) 1 cm^2


8. In the given figure, find x, if ABCD is a rhombus and AC = 4cm, $ar(ABCD) = 20cm^2$.



(a) 4 cm

(b) 5 cm


9. In the given figure, find the area of rhombus ABCD if AO = 4 cm and OD = 5 cm.




 $A. 40 \text{ cm}^2$

- 10. The area of rhombus is 120 cm² and one of its diagonals is 12 cm then the other diagonal is
 - A. 5 cm
- B. 10 cm
- C. 20 cm
- D. 12 cm
- 11. Given in triangle ABC, BE is the median of \triangle ABC and $ar(\triangle$ ABE) = 20 cm², then $ar(\triangle$ ABC) =
 - A. 40 cm^2
- B. 80 cm²
- $C. 20 \text{ cm}^2$
- D. 10 cm^2

12. In the adjoining figure, ABCD is a trapezium in which AB \parallel DC; AB = 7 cm; AD = BC = 5 cm and the distance between the parallel lines is 4 cm, then length DC =




- A. 15 cm
- B. 13 cm
- C. 11 cm
- D. 12 cm
- **13.** In the above figure, ABCD is a trapezium in which AB \parallel DC; AB = 7 cm; AD = BC = 5 cm and the distance between the parallel lines is 4 cm, then the area of trap.ABCD =
 - A. 40 cm²
- $B. 80 \text{ cm}^2$
- $C. 20 \text{ cm}^2$
- $D. 10 \text{ cm}^2$
- **14.** In the below figure, ABCD is a parallelogram; DC = 5 cm; BD = 7 cm, then the area of parallelogram ABCD is
 - A. 45 cm^2
- B. 35 cm²
- $C. 25 cm^2$
- $D. 10 cm^2$




- **15.** In the above figure, ABCD is a parallelogram; AB = 10 cm; BM = 8 cm and DL = 6 cm, then AD =
 - A. 15 cm
- B. 13 cm
- C. 11 cm
- D. none of these

PRACTICE QUESTIONS <u>CLASS IX: CHAPTER - 9</u> AREAS OF ||^{gms} AND TRIANGLES


- 1. ABCD is a parallelogram x and y are midpoints of BC and CD respectively. Prove that $ar(\Delta AXY) = \frac{3}{8}(||^{gm}ABCD)$
- 2. The medians BE and CF of a triangle ABC intersect at G. Prove that $ar(\Delta GBC) = area$ of quadrilateral AFGE.
- 3. In fig. PQRS is a square and T and U are respectively, the midpoints of PS and QR. Find the area of Δ OTS if PQ = 8cm.




4. In fig. ABCD, ABFE and CDEF are parallelograms. Prove that $ar(\Delta ADE) = ar(\Delta BCF)$.




5. In fig. ABCD is a trapezium in which AB || CD. Prove that area of \triangle AOD = area of \triangle BOC.



- **6.** The diagonals of parallelogram ABCD intersect at a point O. Through O, a line is drawn to intersect AD at P and BC at Q. Show PQ divides the parallelogram into two parts of equal area.
- 7. In the fig. O is any point on the diagonal BD of the parallelogram ABCD. Prove that $ar(\Delta OAB) = ar(\Delta OBC)$.




- **8.** Show that the diagonals of a parallelogram divide it into four triangles of equal area.
- 9. In fig. ABCD is a parallelogram and BC is produced to a point Q such that AD = CQ. If AQ intersects DC at P, show that $ar(\Delta BPC) = ar(\Delta DPQ)$




- **10.** Prove that "Two parallelograms on the same base and between the same parallels are equal in area".
- 11. Prove that "Two triangles on the same base and between the same parallels are equal in area".
- 12. Prove that a median of a triangle divides it into two equal parts
- **13.** If a triangle and a parallelogram are on the same base and between the same parallels, then prove that the area of the triangle is equal to half the area of the parallelogram.
- **14.** If E,F,G and H are respectively the mid-points of the sides of a parallelogram ABCD, show that ar (EFGH) = $\frac{1}{2}$ ar (ABCD)
- 15. Show that the diagonals of a parallelogram divide it into four triangles of equal area.
- **16.** D and E are points on sides AB and AC respectively of \triangle ABC such that ar (DBC) = ar (EBC). Prove that DE \parallel BC.


- **17.** XY is a line parallel to side BC of a triangle ABC. If BE \parallel AC and CF \parallel AB meet XY at E and F respectively, show that ar (ABE) = ar (ACF)
- **18.** In the below figure PSDA is a parallelogram. Points Q and R are taken on PS such that PQ = QR = RS and $PA \parallel QB \parallel RC$. Prove that ar (PQE) = ar (CFD).




19. X and Y are points on the side LN of the triangle LMN such that LX = XY = YN. Through X, a line is drawn parallel to LM to meet MN at Z (See Fig. 9.12). Prove that ar (LZY) = ar(MZYX)




Z 20. The area of the parallelogram ABCD is 90 cm². Find (i) ar (ABEF) (ii) ar (ABD) (iii) ar (BEF).




21. In \triangle ABC, D is the mid-point of AB and P is any point on BC. If CQ || PD meets AB in Q, then prove that ar (BPQ) = $\frac{1}{2}$ ar (ABC).




22. ABCD is a square. E and F are respectively the midpoints of BC and CD. If R is the mid-point of EF, prove that ar (AER) = ar (AFR)




23. O is any point on the diagonal PR of a parallelogram PQRS. Prove that ar (PSO) = ar (PQO).




24. ABCD is a parallelogram in which BC is produced to E such that CE = BC. AE intersects CD at F. If ar (DFB) = 3 cm^2 , find the area of the parallelogram ABCD.



25. In trapezium ABCD, AB \parallel DC and L is the mid-point of BC. Through L, a line PQ \parallel AD has been drawn which meets AB in P and DC produced in Q. Prove that ar (ABCD) = ar (APQD).




- **26.** If the mid-points of the sides of a quadrilateral are joined in order, prove that the area of the parallelogram so formed will be half of the area of the given quadrilateral.
- **27.** In the below figure, l, m, n, are straight lines such that $l \parallel m$ and n intersects l at P and m at Q. ABCD is a quadrilateral such that its vertex A is on l. The vertices C and D are on m and AD $\parallel n$. Show that ar (ABCQ) = ar (ABCDP)




28. In the below figure, BD || CA E is mid-point of CA and BD = $\frac{1}{2}$ CA.

Prove that ar(ABC) = 2ar(DBC)




29. In the below figure, ABCD is a parallelogram. Points P and Q on BC trisects BC in three equal parts. Prove that ar (APQ) = ar (DPQ) = $\frac{1}{6}$ ar(ABCD)




- **30.** A point E is taken on the side BC of a parallelogram ABCD. AE and DC are produced to meet at F. Prove that ar (ADF) = ar (ABFC)
- **31.** The diagonals of a parallelogram ABCD intersect at a point O. Through O, a line is drawn to intersect AD at P and BC at Q. Show that PQ divides the parallelogram into two parts of equal area.

32. In the below figure, X and Y are the mid-points of AC and AB respectively, $QP \parallel BC$ and CYQ and BXP are straight lines. Prove that ar (ABP) = ar (ACQ).




33. Parallelogram ABCD and rectangle ABEF are on the same base AB and have equal areas. Show that the perimeter of the parallelogram is greater than that of the rectangle.


34. In the below figure, ABCD and AEFD are two parallelograms. Prove that ar (PEA) = ar (QFD)



35. In the below figure, ABCDE is any pentagon. BP drawn parallel to AC meets DC produced at P and EQ drawn parallel to AD meets CD produced at Q. Prove that ar (ABCDE) = ar (APQ)




36. In the below figure, CD \parallel AE and CY \parallel BA. Prove that ar (CBX) = ar (AXY)




37. In fig. P is a point in the interior of a parallelogram ABCD. Show that

(i) ar (APB) + ar (PCD) =
$$\frac{1}{2}$$
 ar (ABCD)

(ii)
$$ar(APD) + ar(PBC) = ar(APB) + ar(PCD)$$




38. In Fig. ABCD is a quadrilateral and BE \parallel AC and also BE meets DC produced at E. Show that area of \triangle ADE is equal to the area of the quadrilateral ABCD.



39. Diagonals AC and BD of a trapezium ABCD with AB \parallel DC intersect each other at O. Prove that ar (AOD) = ar (BOC).

40. Diagonals AC and BD of a quadrilateral ABCD intersect each other at O such that ar (AOD) = ar (BOC). Prove that ABCD is a trapezium.

41. ABCD is a trapezium with AB \parallel DC. A line parallel to AC intersects AB at X and BC at Y. Prove that ar (ADX) = ar (ACY).



42. In the above Fig. AP \parallel BQ \parallel CR. Prove that ar (AQC) = ar (PBR).

43. Diagonals AC and BD of a quadrilateral ABCD intersect at O in such a way that ar (AOD) = ar (BOC). Prove that ABCD is a trapezium.

44. The medians BE and CF of a triangle ABC intersect at G. Prove that the area of \triangle GBC = area of the quadrilateral AFGE.

- **45.** Diagonals AC and BD of a quadrilateral ABCD intersect each other at P. Show that $ar(APB) \times ar(CPD) = ar(APD) \times ar(BPC)$.
- **46.** ABCD is a trapezium in which AB || DC, DC = 30 cm and AB = 50 cm. If X and Y are, respectively the mid-points of AD and BC, prove that ar (DCYX) = $\frac{7}{9}$ ar (XYBA)
- **47.** In $\triangle ABC$, if L and M are the points on AB and AC, respectively such that LM \parallel BC. Prove that ar (LOB) = ar (MOC)
- **48.** If the medians of a \triangle ABC intersect at G, show that

$$ar(AGB) = ar(AGC) = ar(BGC) = \frac{1}{3}ar(ABC)$$

- **49.** Prove that the area of rhombus is equal to half the rectangle contained by its diagonals.
- **50.** A point O inside a rectangle ABCD is joined to the vertices. Prove that the sum of the areas of a pair of opposite triangles so formed is equal to the sum of the other pair of triangles.
- **51.** The medians BE and CF of a triangle ABC intersect at G. Prove that area of Δ GBC = area of quadrilateral AFGE.
- **52.** A villager Itwaari has a plot of land of the shape of a quadrilateral. The Gram Panchayat of the village decided to take over some portion of his plot from one of the corners to construct a Health Centre. Itwaari agrees to the above proposal with the condition that he should be given equal amount of land in lieu of his land adjoining his plot so as to form a triangular plot. Explain how this proposal will be implemented.
- **53.** P and Q are respectively the mid-points of sides AB and BC of a triangle ABC and R is the mid-point of AP, show that

(i) ar (PRQ) =
$$\frac{1}{2}$$
 ar (ARC) (ii) ar (RQC) = $\frac{3}{8}$ ar (ABC) (iii) ar (PBQ) = ar (ARC)

- **54.** A quadrilateral ABCD is such that the diagonal BD divides its area in two equal parts. Prove that BD bisects AC.
- 55. D, E and F are respectively the mid-points of the sides BC, CA and AB of a . ABC. Show that
 - (i) BDEF is a parallelogram. (ii) ar (DEF) = $\frac{1}{4}$ ar (ABC) (iii) ar (BDEF) = $\frac{1}{2}$ ar (ABC).

MCQ WORKSHEET-I CLASS IX: CHAPTER – 10 CIRCLES

1.	The centre of a circ (a)exterior (cle. (d) none of these
2.	-			ele is greater than its radius lies in of the circle. (d) none of these
3.	The longest chord (a) diameter (
4.	Segment of a circle (a) diameter (_		and of the circle. (d) sector
5.	A circle divides the (a) two	-	-	ts. (d) five
6.	Equal chords of a c		angles (c) one fourth	
7.	If the angles subten	nded by the cho	ords of a circle	at the centre are equal, then the chords are
	(a) half	(b) one third	(c) one fourth	(d) equal
8.			*	a chord the chord. (d) none of these.
9.		-	-	a chord is perpendicular to the chord. (d) none of these.
10.		•	passing through (c) four	h given non-collinear points. (d) five
11.	Chords equidistant (a) half			
12.	on the remaining pe	art of the circl	e.	the angle subtended by it at any point
13.	(a) half (Angles in the same (a) half (segment of a c	· · · •	1.
14.	The sum of either p	air of opposite	e angles of a cy	veclic quadrilateral is (d) none of these
15.	If the sum of a pair	of opposite ar	ngles of a quad	rilateral is, the quadrilateral is cyclic. (d) none of these

MCQ WORKSHEET-II CLASS IX: CHAPTER – 10 CIRCLES

1.	from the centre	nora of circle o	radius 10 cm	is 12 cm. Determine the distance of the chord
	(a) 8 cm	(b) 7 cm	(c) 6 cm	(d) 5 cm
2.	determine the rad	ius of the circle	.	rpendicular distance from the centre is 1.5 cm,
	(a) 2.5 cm	(b) 1.5 cm	(c) 6 cm	(d) 5 cm
3.	The radius of the Find the length of		and distance of	the chord from the centre of the circle is 4 cm.
	(a) 8 cm	(b) 7 cm	(c) 6 cm	(d) 5 cm
4.	Find the length of diameter is 50 cm		n is at a distanc	e of 24 cm from the centre of a circle whose
	(a) 12 cm	(b) 14 cm	(c) 16 cm	(d) 15 cm
5.	Two points A and points. Find the d		-	vith radius 17 cm is drawn to pass through these of the circle.
	(a) 12 cm	(b) 14 cm	(c) 16 cm	(d) 15 cm
6.	If the length of a of find the radius of		e at a distance	of 5 cm from the centre of the circle is 24 cm,
	(a) 13 cm	(b) 14 cm	(c) 16 cm	(d) 15 cm
7.	A chord 6 cm lon distance from the	-	circle with a di	ameter equal to 10 cm. Find its perpendicular
	(a) 4 cm	(b) 7 cm	(c) 6 cm	(d) 5 cm
8.	If the length of a find the length of			e of 24 cm from the centre of the circle is 36 cm, e.
	(a) 80 cm	(b) 70 cm	(c) 60 cm	(d) 50 cm
9.	AB is a chord of t length of the chor		centre O and ra	dius 13 cm. If OM \perp AB and OM =5 cm, find th
	(a) 24 cm	(b) 27 cm	(c) 26 cm	(d) 25 cm
10.	A chord of a circl the centre.	e of radius 7.5	cm with centre	O is of length 9 cm. Find the its distance from
	(a) 4 cm	(b) 7 cm	(c) 6 cm	(d) 5 cm
11.	Two circles of racis 4 cm. Find the l			two points and the distance between their centres
	(a) 4 cm	(b) 7 cm	(c) 6 cm	(d) 5 cm
12.	In a circle of radiulength of the chor		and AC are two	chords, such that $AB = AC = 30 \text{ cm}$. Find the
	(a) 40 cm	(b) 48 cm	(c) 60 cm	(d) 50 cm

MCQ WORKSHEET-III CLASS IX: CHAPTER – 10 CIRCLES


1. In below Fig, ABCD is a cyclic quadrilateral in which AC and BD are its diagonals. If \angle DBC = 55° and \angle BAC = 45° , find \angle BCD.

(a) 80°

(b) 60°

(c) 90°

(d) none of these



2. In above sided Fig, A,B and C are three points on a circle with centre O such that $\angle BOC = 30^{\circ}$ and $\angle AOB = 60^{\circ}$. If D is a point on the circle other than the arc ABC, find $\angle ADC$.

(a) 45°

(b) 60°

(c) 90°

(d) none of these

3. A chord of a circle is equal to the radius of the circle. Find the angle subtended by the chord at a point on the minor arc

(a) 150^0

(b) 30°

 $(c) 60^{\circ}$

(d) none of these

4. A chord of a circle is equal to the radius of the circle. Find the angle subtended by the chord at a point on the major arc.

(a) 150^0

(b) 30°

 $(c) 60^{\circ}$

(d) none of these


5. In the below Fig., $\angle ABC = 69^{\circ}$, $\angle ACB = 31^{\circ}$, find $\angle BDC$.


(a) 80°

(b) 60°

(c) 90°

(d) 100^{0}





6. In the above sided Fig., A, B, C and D are four points on a circle. AC and BD intersect at a point E such that $\angle BEC = 130^{\circ}$ and $\angle ECD = 20^{\circ}$. Find $\angle BAC$.

(a) 110°

(b) 150°

(c) 90°

(d) 100^{0}

7. ABCD is a cyclic quadrilateral whose diagonals intersect at a point E. If $\angle DBC = 70^{\circ}$, $\angle BAC$ is 30° , find $\angle BCD$.


(a) 80°


(b) 60°

(c) 90°

(d) 100^{0}

- **8.** ABCD is a cyclic quadrilateral. If $\angle BCD = 100^{\circ}$, $\angle ABD$ is 30° , find $\angle ABD$.
 - (a) 80°
- (b) 60°
- (c) 90°
- (d) 70^0
- **9.** ABCD is a cyclic quadrilateral. If $\angle DBC = 80^{\circ}$, $\angle BAC$ is 40° , find $\angle BCD$.
 - (a) 80°
- (b) 60°
- (c) 90°
- (d) 70^0
- **10.** ABCD is a cyclic quadrilateral in which BC is parallel to AD, \angle ADC = 110^{0} and \angle BAC = 50^{0} . Find \angle DAC
 - (a) 80°
- (b) 60°
- (c) 90°
- (d) 170°
- **11.** In the below figure, $\angle POQ = 80^{\circ}$, find $\angle PAQ$
 - (a) 80°
- (b) 40°
- (c) 100°
- (d) none of these






- **12.** In the above figure, $\angle PQR = 100^{\circ}$, where P, Q and R are points on a circle with centre O. Find $\angle OPR$.
 - (a) 80°
- (b) 40°
- (c) 10°
- (d) none of these


MCQ WORKSHEET-IV CLASS IX: CHAPTER – 10 CIRCLES

1.		ance of chord AE		the centre is 12	cm a	nd length of the	chord	is 10 cm. Then
	A.	26 cm	B.	13 cm	C.	$\sqrt{244}$ cm	D.	20 cm
2.		circles are drawn point D, Then	with s	side AB and AC o	f a tria	angle ABC as dian	neters.	. Circles intersect
	A.	∠ADB and ∠	ADC	are equal	B.	\angle ADB and \angle A	ADC a	re compementary
	C.	Points B, D, C a	ire co	llinear	D.	none of these		
3.	The	region between a	chord	and either of the	arcs	is called		
	A.	an arc	B.	a sector	C.	a segment	D.	a semicircle
4.	A ci	rcle divides the pla	ne in	which it lies, inclu	uding	circle in		
	A.	2 parts	B.	3 parts	C.	4 parts	D.	5 parts
5.		agonals of a cycli drilateral, then quad	-		diamet	ters of a circle thr	ough	the vertices of a
	A.	parallelogram	B.	square	C.	rectangle	D.	trapezium
6.		en three non colling e points are	ear poi	ints, then the numb	oer of	circles which can l	be dra	wn through these
	A.	one	B.	zero	C.	two	D.	infinite
	nce of	f chord AB from the	e cent	tre is 12 cm and le	ngth o	f the chord is 10cr	n. The	en diameter of
7.		circle with centre	e O, A	AB and CD are tw	vo dia	meters perpendicu	ular to	each other. The
	A.	2 AB	B.	$\sqrt{2}$ AB	C.	$\frac{1}{2}$ AB	D.	$\frac{1}{\sqrt{2}}$ AB
8.	If A B, t	B is a chord of a hen	circle	, P and Q are the	two p	ooints on the circle	e diffe	erent from A and
	A.	$\angle APB = \angle AC$	QВ					
	B.	∠APB + ∠AG	QB =	180°				
	C.	∠APB + ∠AG	QB =	90°				
	D.	$\angle APB + \angle AO$	QB =	180°				

- **9.** In the above figure, $\angle PQR = 90^{\circ}$, where P, Q and R are points on a circle with centre O. Find reflex $\angle POR$.
 - (a) 180°
- (b) 140°
- (c) 45°
- (d) none of these




- **10.** In below Fig, ABCD is a cyclic quadrilateral in which AC and BD are its diagonals. If \angle DBC = 60° and \angle BAC = 30° , find \angle BCD.
 - (a) 80°
- (b) 60°
- (c) 90°
- (d) none of these




PRACTICE QUESTIONS CHAPTER – 10: CIRCLES


- **1.** Prove that "Equal chords of a circle subtend equal angles at the centre".
- **2.** Prove that "Chords of a circle which subtends equal angles at the centre are equal".
- **3.** Prove that "The perpendicular from the centre of a circle to a chord bisects the chord."
- **4.** Prove that "The line drawn through the centre of a circle to bisect a chord is perpendicular to the chord".
- **5.** Prove that "Chords equidistant from the centre of a circle are equal in length"
- **6.** Prove that "Chords of a circle which are equidistant from the centre are equal"
- 7. Prove that "Of any two chords of a circle then the one which is larger is nearer to the centre."
- **8.** Prove that "Of any two chords of a circle then the one which is nearer to the centre is larger."
- **9.** Prove that "line joining the midpoints of two equal chords of circle subtends equal angles with the chord."
- **10.** *Prove that "if two chords of a circle bisect each other they must be diameters.*
- **11.** If two chords of a circle are equally inclined to the diameter through their point of intersection, prove that the chords are equal.
- **12.** Prove that "The angle subtended by an arc at the centre is double the angle subtended by it at any point on the remaining part of the circle."
- **13.** Prove that "Angles in the same segment of a circle are equal."
- **14.** Prove that "Angle in a semicircle is a right angle."
- **15.** Prove that "Arc of a circle subtending a right angle at any point of the circle in its alternate segment is a semicircle."
- **16.** Prove that "Any angle subtended by a minor arc in the alternate segment is acute and any angle subtended by a major arc in the alternate segment is obtuse."
- **17.** Prove that "If a line segment joining two points subtends equal angles at two other points lying on the same side of the line segment, the four points are concyclic."
- **18.** Prove that "Circle drawn on any one side of the equal sides of an isosceles trainlge as diameter bisects the side."
- **19.** Prove that "The sum of either pair of opposite angles of a cyclic quadrilateral is 180°."
- **20.** Prove that "If the sum of a pair of opposite angles of a quadrilateral is 180°, the quadrilateral is cyclic."

- **21.** Prove that "If one side of the cyclic quadrilateral is produced then the exterior angle is equal to the interior opposite angle."
- **22.** Prove that "If two sides of a cyclic quadrilateral are parallel, then the remaining two sides are equal and the diagonals are also equal."
- **23.** Prove that "If two opposite sides of cyclic quadrilateral are equal, then the other two sides are parallel."
- **24.** Prove that "If two non parallel sides of a trapezium are equal, it is cyclic."
- **25.** Prove that "The sum of the angles in the four segments exterior to a cyclic quadrilateral is equal to 6 right angles."
- **26.** Two circles with centres A and B intersect at C and D. Prove that $\angle ACB = \angle ADB$.
- **27.** Bisector AD of AC of \triangle ABC passes through the centre of the circumcircle of \triangle ABC. Prove that AB = AC.
- **28.** In the below figure A, B and C are three points on a circle such that angles subtended by the chords AB and AC at the centre O are 80° and 120° respectively. Determine \angle BAC.






- **29.** In the above right-sided figure, P is the centre of the circle. Prove that $\angle XPZ = 2 (\angle XZY + \angle YXZ)$.
- **30.** Prove that the midpoint of the hypotenuse of a right triangle is equidistant from its vertices.
- **31.** In the below figure ABCD is a cyclic quadrilateral, O is the centre of the circle. If $\angle BOD = 160^{\circ}$, find $\angle BPD$.




32. Prove that in a triangle if the bisector of any angle and the perpendicular bisector of its opposite side intersect, they will intersect on the circumcircle of the triangle.

- **33.** The diagonals of a cyclic quadrilateral are at right angles. Prove that perpendiculars from the point of their intersection on any side when produced backward bisect the opposite side.
- **34.** If two circles intersect at two points, prove that their centres lie on the perpendicular bisector of the common chord.
- **35.** If two intersecting chords of a circle make equal angles with the diameter passing through their point of intersection, prove that the chords are equal.
- **36.** Two circles of radii 5 cm and 3 cm intersect at two points and the distance between their centres is 4 cm. Find the length of the common chord.
- **37.** If two equal chords of a circle intersect within the circle, prove that the segments of one chord are equal to corresponding segments of the other chord.
- **38.** If two equal chords of a circle intersect within the circle, prove that the line joining the point of intersection to the centre makes equal angles with the chords.
- **39.** In the below figure, AB is a diameter of the circle, CD is a chord equal to the radius of the circle. AC and BD when extended intersect at a point E. Prove that $\angle AEB = 60^{\circ}$.




- **40.** In the above right-sided figure, ABCD is a cyclic quadrilateral in which AC and BD are its diagonals. If $\angle DBC = 55^{\circ}$ and $\angle BAC = 45^{\circ}$, find $\angle BCD$.
- **41.** Prove that the quadrilateral formed (if possible) by the internal angle bisectors of any quadrilateral is cyclic.
- **42.** ABCD is a cyclic quadrilateral whose diagonals intersect at a point E. If $\angle DBC = 70^{\circ}$, $\angle BAC$ is 30°, find $\angle BCD$. Further, if AB = BC, find $\angle ECD$.
- **43.** If diagonals of a cyclic quadrilateral are diameters of the circle through the vertices of the quadrilateral, prove that it is a rectangle.
- **44.** Two circles intersect at two points A and B. AD and AC are diameters to the two circles. Prove that B lies on the line segment DC.
- **45.** Prove that the quadrilateral formed (if possible) by the internal angle bisectors of any quadrilateral is cyclic.
- **46.** If the non-parallel sides of a trapezium are equal, prove that it is cyclic.

47. Two circles intersect at two points B and C. Through B, two line segments ABD and PBQ are drawn to intersect the circles at A, D and P, Q respectively. Prove that $\angle ACP = \angle QCD$.





- **48.** If circles are drawn taking two sides of a triangle as diameters, prove that the point of intersection of these circles lie on the third side.
- **49.** Prove that the circle drawn with any side of a rhombus as diameter, passes through the point of intersection of its diagonals.
- **50.** In the adjoining figure, A, B, C and D are four points on a circle. AC and BD intersect at a point E such that $\angle BEC = 130^{\circ}$ and $\angle ECD = 20^{\circ}$. Find $\angle BAC$.




- **51.** In the above right-sided figure, $\angle PQR = 100^{\circ}$, where P, Q and R are points on a circle with centre O. Find $\angle OPR$.
- **52.** ABCD is a parallelogram. The circle through A, B and C intersect CD (produced if necessary) at E. Prove that AE = AD.
- **53.** AC and BD are chords of a circle which bisect each other. Prove that (i) AC and BD are diameters, (ii) ABCD is a rectangle.
- **54.** A chord of a circle is equal to the radius of the circle. Find the angle subtended by the chord at a point on the minor arc and also at a point on the major arc.
- **55.** Prove that the circle drawn with any side of a rhombus as a diameter, passes through the point of its diagonals.
- **56.** Bisectors of angles A, B and C of a triangles ABC intersect its circumcircle at D, E and F respectively. Prove that the angles of DDEF are $90^{0} \frac{A}{2}$, $90^{0} \frac{B}{2}$ and $90^{0} \frac{C}{2}$
- **57.** Prove that the line of centres of two intersecting circles subtends equal angles at the two points of intersection.


58. In the adjoining Fig., $\angle ABC = 69^{\circ}$, $\angle ACB = 31^{\circ}$, find $\angle BDC$.






- **59.** In the above right-sided figure, A,B and C are three points on a circle with centre O such that $\angle BOC = 30^{\circ}$ and $\angle AOB = 60^{\circ}$. If D is a point on the circle other than the arc ABC, find $\angle ADC$.
- **60.** In the below figure, AB and CD are two equal chords of a circle with centre O. OP and OQ are perpendiculars on chords AB and CD, respectively. If $\angle POQ = 150^{\circ}$, then find $\angle APQ$.







- **61.** In the above right sided figure, if OA = 5 cm, AB = 8 cm and OD is perpendicular to AB, then find CD.
- **62.** Two chords AB and CD of lengths 5 cm and 11 cm respectively of a circle are parallel to each other and are on opposite sides of its centre. If the distance between AB and CD is 6 cm, find the radius of the circle.
- **63.** Two congruent circles intersect each other at points A and B. Through A any line segment PAQ is drawn so that P, Q lie on the two circles. Prove that BP = BQ.
- **64.** In any triangle ABC, if the angle bisector of $\angle A$ and perpendicular bisector of BC intersect, prove that they intersect on the circumcircle of the triangle ABC.
- **65.** If arcs AXB and CYD of a circle are congruent, find the ratio of AB and CD.
- **66.** If the perpendicular bisector of a chord AB of a circle PXAQBY intersects the circle at P and Q, prove that arc PXA \cong Arc PYB.
- **67.** A, B and C are three points on a circle. Prove that the perpendicular bisectors of AB, BC and CA are concurrent.


- **68.** AB and AC are two equal chords of a circle. Prove that the bisector of the angle BAC passes through the centre of the circle.
- **69.** In the below figure, if $\angle OAB = 40^{\circ}$, then find $\angle ACB$






- **70.** In the above right sided figure, if $\angle DAB = 60^{\circ}$, $\angle ABD = 50^{\circ}$ then find $\angle ACB$.
- **71.** In the below figure, BC is a diameter of the circle and $\angle BAO = 60^{\circ}$ then find $\angle ADC$







- **72.** In above right sided figure, $\angle AOB = 90^{\circ}$ and $\angle ABC = 30^{\circ}$, then find $\angle CAO$
- **73.** The lengths of two parallel chords of a circle are 6 cm and 8 cm. If the smaller chord is at distance 4 cm from the centre, what is the distance of the other chord from the centre?
- **74.** A, B, C D are four consecutive points on a circle such that AB = CD. Prove that AC = BD.
- **75.** If a line segment joining mid-points of two chords of a circle passes through the centre of the circle, prove that the two chords are parallel.
- **76.** ABCD is such a quadrilateral that A is the centre of the circle passing through B, C and D. Prove that $\angle CBD + \angle CDB = \frac{1}{2} \angle BAD$
- 77. O is the circumcentre of the triangle ABC and D is the mid-point of the base BC. Prove that $\angle BOD = \angle A$.
- **78.** On a common hypotenuse AB, two right triangles ACB and ADB are situated on opposite sides. Prove that $\angle BAC = \angle BDC$.

79. In the below figure, AOC is a diameter of the circle and $arc(AXB) = \frac{1}{2}arc(BYC)$. Find $\angle BOC$.




- **80.** In the above right sided figure, $\angle ABC = 45^{\circ}$, prove that OA \perp OC.
- **81.** Two chords AB and AC of a circle subtends angles equal to 90^s and 150^s, respectively at the centre. Find ∠BAC, if AB and AC lie on the opposite sides of the centre.
- **82.** If BM and CN are the perpendiculars drawn on the sides AC and AB of the triangle ABC, prove that the points B, C, M and N are concyclic.
- **83.** If a line is drawn parallel to the base of an isosceles triangle to intersect its equal sides, prove that the quadrilateral so formed is cyclic.
- **84.** If a pair of opposite sides of a cyclic quadrilateral are equal, prove that its diagonals are also equal.
- **85.** The circumcentre of the triangle ABC is O. Prove that $\angle OBC + \angle BAC = 90^{\circ}$.
- **86.** A chord of a circle is equal to its radius. Find the angle subtended by this chord at a point in major segment.
- **87.** In the below figure, $\angle ADC = 130^{\circ}$ and chord BC = chord BE. Find $\angle CBE$.






- **88.** In the above right sided figure, $\angle ACB = 40^{\circ}$. Find $\angle OAB$.
- **89.** A quadrilateral ABCD is inscribed in a circle such that AB is a diameter and \angle ADC = 130 $^{\circ}$. Find \angle BAC.
- **90.** Two circles with centres O and O' intersect at two points A and B. A line PQ is drawn parallel to OO' through A(or B) intersecting the circles at P and Q. Prove that PQ = 2 OO'

91. In the below figure, AOB is a diameter of the circle and C, D, E are any three points on the semi-circle. Find the value of $\angle ACD + \angle BED$.



- **92.** In the above right sided figure, $\angle OAB = 30^{\circ}$ and $\angle OCB = 57^{\circ}$. Find $\angle BOC$ and $\angle AOC$.
- **93.** In the below figure, O is the centre of the circle, $\angle BCO = 30^{\circ}$, find x and y.



- **94.** In the above right sided figure, O is the centre of the circle, BD = OD and $CD \perp AB$. Find $\angle CAB$.
- **95.** Let the vertex of an angle ABC be located outside a circle and let the sides of the angle intersect equal chords AD and CE with the circle. Prove that ∠ABC is equal to half the difference of the angles subtended by the chords AC and DE at the centre.

MCQ WORKSHEET-I CLASS IX: CHAPTER – 11 CONSTRUCTIONS

	CONSTRUCTIONS
1.	In a pair of set, squares, one if with angles are (a) 30^{0} , 60^{0} , 90^{0} (b) 30^{0} , 30^{0} , 45^{0} (c) 75^{0} , 25^{0} , 80^{0} (d) 65^{0} , 15^{0} , 100^{0}
2.	In a pair of set, squares, the other is with angles (a) 45^{0} , 45^{0} , 90^{0} (b) 30^{0} , 50^{0} , 100^{0} (c) 60^{0} , 60^{0} (d) none of these
3.	To draw the perpendicular bisector of line segment AB, we open the compass (a) more than $\frac{1}{2}$ AB (b) less than $\frac{1}{2}$ AB (c) equal to $\frac{1}{2}$ AB (d) none of these
4.	To construct an angle of $22\frac{1}{2}^0$, we (a) bisect an angle of 60^0 (b) bisect an angle of 30^0 (c) bisect an angle of 45^0 (d) none of these
5.	To construct a triangle we must know at least its parts. (a) two (b) three (c) one (d) five
6.	For which of the following condition the construction of a triangle is not possible: (a) If two sides and angle included between them is not given (b) If two sides and angle included between them is not given (c) If its three sides are given (d) If two angles and side included between them is given
7.	Construction of a triangle is not possible if: (a) $AB + BC < AC$ (b) $AB + BC = AC$ (c) both (a) and (b) (d) $AB + BC > AC$
8.	With the help of ruler and compass it is not possible to construct an angle of (a) 37.5^{0} (b) 40.5^{0} (c) 22.5^{0} (d) 67.5^{0}
9.	The construction of a triangle ABC given that $BC = 3$ cm, $\angle C = 60^{\circ}$ is possible when difference of AB and AC is equal to (a) 3.2 cm (b) 3.1 cm (c) 3 cm (d) 2.8 cm
10.	The construction of a triangle ABC, given that BC = 6cm, \angle = 45° is not possible when the difference of AB and AC is equal to
	(a) 6.9 cm (b) 5.2 cm (c) 5.0 cm (d) 4.0 cm.
11.	Construction of a triangle is not possible if:

(b) bisect an angle of 30°

(d) none of these

12. To construct an angle of 15^0 , we (a) bisect an angle of 60^0

(c) bisect an angle of 45^0

(a) AB - BC < AC (b) AB - BC = AC

(c) both (a) and (b) (d) AB - BC > AC

PRACTICE QUESTIONS <u>CLASS IX: CHAPTER - 11</u> <u>CONSTRUCTIONS</u>

- 1. Construct the following angles with the help of ruler and compass, if possible -35° , 40° , 57° , 75° , 15° , 135° .
- 2. Draw a $\triangle ABC$, in which AB = 4cm, $\angle A = 60^{\circ}$ and BC AC = 115 cm.
- 3. Draw a $\triangle ABC$, in which BC = 5cm, $\angle B = 60^{\circ}$ and AC + AB = 7.5 cm.
- **4.** Draw a equilateral triangle whose altitude is 6 cm.
- 5. Draw a triangle ABC whose perimeter is 10.4 cm and the base angle are 45° and 60° .
- **6.** Construct a triangle ABC, in which $\angle B = 60^{\circ}$, $\angle C = 45^{\circ}$ and AB + BC + CA = 11 cm.
- 7. Construct a triangle ABC in which BC = 7cm, \angle B = 75° and AB + AC = 13 cm.
- 8. Construct a triangle ABC in which BC = 8cm, \angle B = 45° and AB AC = 3.5 cm.
- **9.** Construct a triangle PQR in which QR = 6cm, \angle Q = 60° and PR PQ = 2cm.
- **10.** Construct a triangle XYZ in which $\angle Y = 30^{\circ}$, $\angle Z = 90^{\circ}$ and XY + YZ + ZX = 11 cm.
- 11. Construct a right triangle whose base is 12cm and sum of its hypotenuse and other side is 18 cm.
- 12. Construct a triangle ABC in which BC = 3cm, \angle B = 30° and AB + AC = 5.2 cm.
- 13. Construct a triangle ABC in which BC = 6cm, \angle B = 60° and the sum of other two sides is 9cm.
- **14.** Construct a triangle ABC in which BC = 5.6cm, $\angle B = 30^{\circ}$ and the difference between the other two sides is 3 cm.
- **15.** Construct a triangle ABC whose perimeter is 14 cm and the sides are in ratio 2 : 3 : 4.
- **16.** Construct a triangle ABC in which BC = 7.5 cm, \angle B = 45° and AB AC = 4 cm.
- **17.** Construct a square of side 3 cm.
- **18.** Construct a rectangle whose adjacent sides are of lengths 5 cm and 3.5 cm.
- **19.** Construct a rhombus whose side is of length 3.4 cm and one of its angles is 45°.
- **20.** Construct a triangle if its perimeter is 10.4 cm and two angles are 45° and 120°.
- **21.** Construct a triangle PQR given that QR = 3cm, $\angle PQR = 45^{\circ}$ and QP PR = 2 cm.
- **22.** Construct a right triangle when one side is 3.5 cm and sum of other sides and the hypotenuse is 5.5 cm.
- 23. Construct an equilateral triangle if its altitude is 3.2 cm.
- **24.** Construct a rhombus whose diagonals are 4 cm and 6 cm in lengths.

MCQ WORKSHEET-I CLASS IX: CHAPTER – 13 SURFACE AREAS AND VOLUMES

1.	The surface area (a) $2(lb + bh + $		b + bh + lh)	(c) 2(lb – bh – lh)	(d) 3(lb - bh - lh)
2.	The surface area (a) $7a^2$	of a cube if edg (b) $6a^2$		(d) 5a ²	
3.	walls at the rate o	_	n^2 is		at of white washing its four
4.	. ,	floor of rectang	rular hall is 250 m is	` '	hite washing its four walls is
5.	The breadth of a r Its dimensions are (a) 16 dm, 8 d (c) 8 dm, 4 dn	e lm, 4 dm	s height and is (b) 12 dm, 8 d (d) 10 dm, 15	lm, 2 dm	e volume of room is 512dm ³
6.				and z. Its volume V (d) none of these	is
7.		of edge 12 cm a (b) 1440 cm ²		surface area of new of (d) 72 cm ²	euboid is
8.	The curved surface	ce area of cylind	ler of height 'h	and base radius 'r'	is
	(a) 2πrh	(b) πrh	(c) $\frac{1}{2}\pi rh$	(d) none of	these
9.	The total surface $(a) 2\pi(r + h)$	•		'r' and height 'h' is $r(r + h)$ (d) $4\pi r(r + h)$	h)
10.	The curved surfaction is	ce area of a cyli	nder of height	14 cm is 88 cm ² . The	diameter of its circular base
	(a) 5cm	(b) 4c1	n	(c) 3cm	(d) 2cm
11.	-	•		of height 1 m and bas re required for the sa (d) 5.48m ² .	e diameter 140cm from a me?
12.	Its inner curved su	urface area is:	r diameter of cr (c) 768 cm ²	ross section is 4 cm a	nd outer diameter is 4.4 cm. these

MCQ WORKSHEET-II <u>CLASS IX: CHAPTER – 13</u> <u>SURFACE AREAS AND VOLUMES</u>

1.	The diameter of a move once over to (a) 1584						tions to
2.	A cylindrical pillar surface at the rate (a) Rs. 68.75	of Rs. 12.50 pc	•			f painting its cur	rved
3.	The inner diamete (a) 120	r of circular we (b) 110	ell is 3.5m. It is (c) 130	10m deep. Its (d) 140	inner cui	rved surface area	a in m ² is:
4.	In a hot water heat total radiating surface (a) 6.6				gth 28 m	and diameter 5 o	em. The
5.	The curved surfac (a) 120 cm ²	e area of a righ (b) 220 cm ²			t 10 cm a 40 cm ²	nd base radius 7	cm is
6.	The height of a co (a) 10 cm	ne is 16 cm and (b) 15		12 cm. Its sla (c) 20 cm	nt height	is (d) 8 cm	
7.	The curved surfac (a) 753.6 cm ²		t circular cone n ² (c) 86		cm and ba (d) 907		is
8.	The curved surfac (a) 185 cm ²	e area of a righ (b) 160 cm ²		_	t 10 cm a 95 cm ²	nd base radius 1	0.5 cm is
9.	The slant height o (a) 24 cm	f a cone is 26 c (b) 25		meter is 20 cm (c) 23 cm	n. Its heig	tht is (d) 35 cm	
10.	The curved surfac	e area of a cond	e is 308 cm ² and	d its slant heig	ght is 14 c	cm. The radius of	of its base
	is (a) 8 cm	(b) 7 c	m	(c) 9 cm		(d) 12 cm	
11.	A conical tent is 1 (a) 26 m	0 m high and th (b) 28		base is 24 m. (c) 25 m	The slant	height of tent is (d) 27 m	
12.	The slant height as white washing its (a) Rs. 1233	curved surface		s. 210 per 10	$0 \text{ m}^2 \text{ is}$	n respectively. T	The cost of
•••	•••••	•••••	•••••		•••••	•••••	•••••

MCQ WORKSHEET-III CLASS IX: CHAPTER – 13 SURFACE AREAS AND VOLUMES

1.	make 10 such cap	s is	one of base radio (c) 8500 cm ²		I height 24 cm. The 3500 cm^2	area of sheet to
	(4) 00 00 0111	(0) 00 00 0111	(5) 35 33 5111	(0)	, 66 00 5111	
2.	The curved surface (a) $2\pi r^2$	te area of a her (b) 4π		ius 'r' is (c) $3\pi r^2$	(d) 5πr	2
3.	The total surface (a) $2\pi r^2$	area of a hemis (b) 4π		s 'r' is (c) $3\pi r^2$	(d) 5πr	2
4.	The curved surface (a) 516 cm ²	te area of a spho (b) 616 cm ²) 880 cm ²	
5.	The curved surfac (a) 2772 cm ²		nisphere of radii (c) 3772 cm ²			
6.	The curved surfac (a) 2464 cm ²	* <u>*</u> .	ere of radius 14 (c) 2464 cm ²) none of these.	
7.	The curved surface (a) 516 cm ²	e area of a sphoto (b) 616 cm ²		14 cm is: (d)) 880 cm ²	
8.	Total surface area (a) 942 cm ²		of radius 10 cm (c) 842 cm ²) 840 cm ²	
9.	ratio of surface are	ea of the balloc		ses is:	cm s air is being pu	mped into it. The
10.	. A matchbox meas	ures 4 cm x 2.5	5 cm x 1.5 cm.	The volume	of packet containing	g 12 such boxes
	is:		(c) 160 cm^2		_	.5 12 such cones
11.	hold?				p. How many litre o	f water can it
	(a) 1350 liters	(b) 13500 liter	rs (c) 13:	5000 liters	(d) 135 liters	
12.	A cuboidal vessel metres of a liquid (a) 4.75 m	_	nd 8 m wide. Ho (c) 4.7	C	(d) none of the	
	` '	,	` ,		` '	
13.	10 m. Its breadth	is		C	and depth are respec	ctively 2.5 m and
	(a) 4 m	(b) 3 m	(c) 2 m	(d) 5 m		
14.	A godown measuring 1.5 m > (a) 18000				· ·	en crates each

MCQ WORKSHEET-IV CLASS IX: CHAPTER – 13 SURFACE AREAS AND VOLUMES

1.	A river 3 m deep a fall into the sea in		is flowin	ng at the rate	of 2 km p	er hour. How mu	ich water will
	(a) 4000 m^3	(b) 40 m^3	(c) 400	0 m^3	(d) 400	000 m^3	
2.	The circumference many litres of wat	er can it hold?	•			C	5 cm. How
	(a) 33.75 litre	(b) 34.65 litre		(c) 35.75 litro	e	(d) 38.75 litre	
3.	If the lateral surfa (a) 5cm	ce of a cylinder (b) 4c		cm2 and its he (c) 30	_	cm, then find radi (d) 6cm	ius of its base
4.	It costs Rs 2200 t painting is at the r (a) 1.75 m	*	er m2, fin		e base,	l vessel 10 m dee (d) 1.65 m	ep. If the cost of
5.	The height and t volume of the co (a) 5546 cm ³	_			m and 28 (d) 854	-	y. Find the
6.	Find the volume of (a) 254 cm ³	of the right circu (b) 264 cm ³			6 cm, heig (d) 284		
7.	The radius and he (a) 1.232 litre	•	al vessel	are 7 cm and (c) 1.35 litre	25 cm res	spectively. Its cap (d) 1.6 litre	pacity in litres is
8.	The height of a co	one is 15 cm. If (b) 10		me is 1570 cm (c) 15		e radius of the ba (d) 18 cm	
9.	If the volume of a (a) 12 cm	right circular of (b) 10		neight 9 cm is (c) 6		find the diameter (d) 8 cm	r of its base.
10.	A conical pit of to (a) 38.5 kl	op diameter 3.5 (b) 48.5 kl	m is 12	m deep. Wha (c) 39.5 kl	t is its cap	pacity in kilolitres (d) 47.5 kl	;?
11.	Find the capacity (a) 1.232 litre		nical ves	sel with radiu (c) 1.35 litre	s 7 cm, sl	ant height 25 cm (d) none of these	
12.	The diameter of the of the volume of the	the earth is the	volume o	of the moon?		ameter of the ear	th. What fraction
	(a) $\frac{1}{64}$	(b) $\frac{1}{32}$	$(c)\frac{1}{16}$	(d) $\frac{1}{4}$	8		
13.	The dimensions o (a) 10 litres	f a cuboid are 5 (b) 12 litres	60 cm x 4	40 cm x 10 cm (c) 20 litres	n. Its volu	ime in litres is: (d) 25 litres	
14.	The volume of a c (a) 5 m	cuboidal tank is (b) 200 m	250 m ³ .	If its base are (c) 300 m	ea is 50 m	then depth of the (d) 12500 m	he tank is

MCQ WORKSHEET-V CLASS IX: CHAPTER – 13 SURFACE AREAS AND VOLUMES

1. The length, breadth and height of a cuboidal solid is 4 cm, 3 cm and 2 cm respectively. Its

volume is

	(a) $(4 + 3 + 2)$ cm	(b) $2(4+3+2)$ cm ³	(c) $(4 \times 3 \times 2) \text{ cm}^3$	(d) $2(4+3) \times 2 \text{ cm}^3$
2.		oidal solid of length 8 m a b) 6 m (c) 15 m	and breadth 5 m is 200 (d) 18 m	m ³ . Find its height.
3.	The curved surface a (a) 7 cm	rea of a sphere is 616 cm (b) 5 cm	n ² . Its radius is (c) 6 cm	(d) 8 cm
4.		is $\frac{2d}{3}$ then its volume is		
	(a) $\frac{32}{81}\pi d^3$ (b)	$\frac{23}{4}\pi d^3 \qquad \text{(c) } \frac{32}{3}\pi d^3$	(d) $\frac{34}{3}\pi d^3$	
	The capacity of a cylis	indrical tank is 6160 cm ³ .	Its base diameter is 28	m. The depth of this tank
	(a) 5 m (b)	o) 10 m (c) 1	5 m (d) 8	m
6.	The volume of a cyli	nder of radius r and length	h h is:	
	(a) 2πrh	(b) $\frac{4}{3} \pi r^2 h$	(c) $\pi r^2 h$	(d) $2\pi r^2 h$
7.	of their volumes is	ylinder are in the ratio 2: a) 25: 24 (c) 20: 27	-	in the ratio 5 : 3. The ratio
8.	If base radius and he	ight of a cylinder are increase) 40% (c) 42%		volume increased by:
9.	The diameter of a sp	here is 14 m. The volume	of this sphere is	
	3	(b) $1357\frac{1}{3}$ m ³	3	(d) $1337\frac{2}{3}$ m ³
10.	The volume of a spheral (a) 5cm	ere is 524 cm ³ . The diame (b) 4cm	eter of sphere is (c) 3cm	(d) 7cm
11.	The total surface are (a) 5cm	a of a cylinder is 40π cm ² (b) 2.5cm	The ight is 5.5 cm the (c) 1.5cm	n its base radius is (d) 10cm
12.	volume is	base of a right circular cond) 3.14 cm ³ (c) 314 cm ³		
13.	The base radius of a $\pi = \frac{355}{113}$)	cone is 11.3 cm and curve	ed surface area is 355 c	m ² . Its height is (Take
	(a) 5 cm	(b) 10 cm	(c) 11 cm	(d) 9 cm

MCQ WORKSHEET-VI CLASS IX: CHAPTER – 13 SURFACE AREAS AND VOLUMES

If the dimensions of a cuboid are 3 cm, 4 cm and 10 cm, then its surface area is

1.

	A.	82 cm^2	B.	123 cm^2	C.	164 cm^2	D.	216 cm^2
2.	The	volume of the cul	boid in	n Q.1 is				
	A.	17 cm ³	B.	164 cm ³	C.	120 cm ³	D.	240 cm^3
3.		surface area of a its length is	cuboi	d is 1372 sq. cm.	If its	dimensions are in	the ra	atio of 4:2:1,
	A.	7 cm	B.	14 cm	C.	21 cm	D.	28cm
4.		base radius and honder is	eight c	of a right circular of	ylinde	er are 7 cm and 13	3.5 cm	. The volume of
	A.	1579 cm ³	B.	1897 cm^3	C.	2079 cm^3	D.	2197 cm^3
5.	The	base radius of a c	one is	5 cm and its hei	ght is	12 cm. Its slant h	neight	is
	A.	13 cm	B.	19.5 cm	C.	26 cm	D.	52cm
6.		curved surface are der is	ea of a	a cylinder of heig	ht 14	cm is 88 sq. cm.	The	diameter of the
	A.	0.5 cm	B.	1.0 cm	C.	1.5 cm	D.	2.0 cm
7.	The	lateral surface are	a of a	right circular cor	e of h	neight 28 cm and	base 1	radius 21 cm is
	A.	1155 cm^2	B.	1055 cm^2	C.	2110 cm ²	D.	2310 cm ²
8.	The	circumference of	the ba	ase of a 8 m high	conic	cal tent is $\frac{264}{7}$ m ²	² . The	area of canvas
	requ	ired to make the t	ent is					
	A.	$\frac{1360}{7} \text{cm}^2$	B.	$\frac{1360}{14} \text{cm}^2$	C.	286 cm ²	D.	98 cm ²
9.	The 7 m	area of metal sheet is	requi	red to make a close	ed hol	low cone of height	t 24 m	and base radius
	A.	176 m ²	B.	352 m ²	C.	704 m ²	D.	1408 m ²
10.	The	diameter of a sph	ere w	hose surface area	is 34	$6.5 \text{ cm}^2 \text{ is}$		
	A.	5.25 cm	B.	5.75 cm	C.	11.5 cm	D.	10.5 cm
11.		radius of a sphericatio of the surfac					air is	s pumped into it.
	A.	1:2	B.	1:3	C.	1:4	D.	4:3


12.	The circumference of the base of a cylinderical vessel is 132 cm and its height is 25 cm. If 1000 cu.cm = 1 liter, the number of litres, of water the vessel can hold is								
	A.	17.325	В.	34.65	C.	34.5	D.	69.30	
13.	The	number of litres o	f milk	a hemispherical l	oowl c	of radius 10.5 cm	can ho	old is	
	A.	2.47	B.	2.476	C.	2.376	D.	3.476	
14.	The	number of bricks,	each	measuring 18 cm	× 12	$cm \times 10 cm are$	requi	red to build a 1	
	wall	12 m × 0.6 m ×	4.5 m	if $\frac{1}{10}$ of its volu	me is	taken by mortar,	is		
	A.	15000	B.	13500	C.	12500	D.	13900	
15.		radius of a sphere creased by	is 10	cm. If its radius is	incre	ased by 1 cm, the	volun	ne of the sphere	
	A.	13.3%	B.	21.1%	C.	30%	D.	33.1%	

PRACTICE QUESTIONS <u>CLASS IX: CHAPTER - 13</u> <u>SURFACE AREAS AND VOLUMES</u>

- 1. The dimensions of a prayer Hall are 20m x 15m x 8m. Find the cost of painting its walls at Rs. 10 per m².
- **2.** Find the curved surface area of a right circular cylinder whose height is 13.5 cm and radius of tis base is 7 cm. Find also its surface area.
- **3.** The exterior diameter of an iron pipe is 25cm and it is one cm thick. Find the whole surface are of the pipe it is 21cm long.
- **4.** A roller 150 cm long has a diameter of 70 cm. To level a playground it takes 750 complete revolutions. Determine the cost of leveling the playground at the rate of 75 paise per m².
- **5.** Find the total surface area of a cone, if its slant height is 21 cm and the diameter of its base is 24 cm.
- 6. The volume of a sphere is 4851 cm³. How much should its radius be reduced so that it volume becomes $\frac{4312}{3}$ cm³.
- 7. A river, 3 m deep and 40m wide, is flowing at the rate of 2km/hr. How much water will fall into the sea in a minute?
- 8. Find the capacity in litres of a conical vessel whose diameter is 14 cm and slant height is 25 cm.
- **9.** What is the total surface area of a hemisphere of base radius 7cm?
- **10.** A village having a population of 4000, requires 150 litres of water per head per day. It has a tank measuring 20m x 15m x 6m. For how many days, the water of the tank will be sufficient for the village?
- **11.** Mary wants to decorate her Christmas tree. She wants to place the tree on a wooden box covered with coloured paper with picture of Santa Claus on it. She must know the exact quantity of paper to buy for this purpose. If the box has length, breadth and height as 80 cm, 40 cm and 20 cm respectively how many square sheets of paper of side 40 cm would she require?
- **12.** Hameed has built a cubical water tank with lid for his house, with each outer edge 1.5 m long. He gets the outer surface of the tank excluding the base, covered with square tiles of side 25 cm. Find how much he would spend for the tiles, if the cost of the tiles is Rs 360 per dozen.
- **13.** A small indoor greenhouse (herbarium) is made entirely of glass panes (including base) held together with tape. It is 30 cm long, 25 cm wide and 25 cm high. (i) What is the area of the glass? (ii) How much of tape is needed for all the 12 edges?
- **14.** Shanti Sweets Stall was placing an order for making cardboard boxes for packing their sweets. Two sizes of boxes were required. The bigger of dimensions 25 cm × 20 cm × 5 cm and the smaller of dimensions 15 cm × 12 cm × 5 cm. For all the overlaps, 5% of the total surface area is required extra. If the cost of the cardboard is Rs 4 for 1000 cm2, find the cost of cardboard required for supplying 250 boxes of each kind.


Prepared by: M. S. KumarSwamy, TGT(Maths)

- **15.** Parveen wanted to make a temporary shelter for her car, by making a box-like structure with tarpaulin that covers all the four sides and the top of the car (with the front face as a flap which can be rolled up). Assuming that the stitching margins are very small, and therefore negligible, how much tarpaulin would be required to make the shelter of height 2.5 m, with base dimensions $4 \text{ m} \times 3 \text{ m}$?
- **16.** Savitri had to make a model of a cylindrical kaleidoscope for her science project. She wanted to use chart paper to make the curved surface of the kaleidoscope. What would be the area of chart paper required by her, if she wanted to make a kaleidoscope of length 25 cm with a 3.5 cm radius?
- **17.** A metal pipe is 77 cm long. The inner diameter of a cross section is 4 cm, the outer diameter being 4.4 cm. Find its
 - (i) inner curved surface area,
 - (ii) outer curved surface area,
 - (iii) total surface area.
- **18.** Find (i) the lateral or curved surface area of a closed cylindrical petrol storage tank that is 4.2 m in diameter and 4.5 m high. (ii) how much steel was actually used, if $\frac{1}{12}$ of the steel actually used was wasted in making the tank.
- **19.** Find the curved surface area of a right circular cone whose slant height is 10 cm and base radius is 7 cm.
- **20.** The height of a cone is 16 cm and its base radius is 12 cm. Find the curved surface area and the total surface area of the cone (Use $\pi = 3.14$).
- **21.** A corn cob shaped somewhat like a cone, has the radius of its broadest end as 2.1 cm and length (height) as 20 cm. If each 1 cm² of the surface of the cob carries an average of four grains, find how many grains you would find on the entire cob.
- **22.** In the adjoining figure you see the frame of a lampshade. It is to be covered with a decorative cloth. The frame has a base diameter of 20 cm and height of 30 cm. A margin of 2.5 cm is to be given for folding it over the top and bottom of the frame. Find how much cloth is required for covering the lampshade.



23. A conical tent is 10 m high and the radius of its base is 24 m. Find (i) slant height of the tent. (ii) cost of the canvas required to make the tent, if the cost of 1 m2 canvas is Rs 70.

- **24.** What length of tarpaulin 3 m wide will be required to make conical tent of height 8 m and base radius 6 m? Assume that the extra length of material that will be required for stitching margins and wastage in cutting is approximately 20 cm (Use $\pi = 3.14$).
- **25.** The slant height and base diameter of a conical tomb are 25 m and 14 m respectively. Find the cost of white-washing its curved surface at the rate of Rs 210 per 100 m².
- **26.** A joker's cap is in the form of a right circular cone of base radius 7 cm and height 24 cm. Find the area of the sheet required to make 10 such caps.
- **27.** A hemispherical dome of a building needs to be painted. If the circumference of the base of the dome is 17.6 m, find the cost of painting it, given the cost of painting is Rs 5 per 100 cm².
- **28.** A right circular cylinder just encloses a sphere of radius *r*. Find (i) surface area of the sphere, (ii) curved surface area of the cylinder, (iii) ratio of the areas obtained in (i) and (ii).



- **29.** A hemispherical bowl is made of steel, 0.25 cm thick. The inner radius of the bowl is 5 cm. Find the outer curved surface area of the bowl.
- **30.** A wall of length 10 m was to be built across an open ground. The height of the wall is 4 m and thickness of the wall is 24 cm. If this wall is to be built up with bricks whose dimensions are 24 cm \times 12 cm \times 8 cm, how many bricks would be required?
- **31.** A village, having a population of 4000, requires 150 litres of water per head per day. It has a tank measuring $20 \text{ m} \times 15 \text{ m} \times 6 \text{ m}$. For how many days will the water of this tank last?
- **32.** A godown measures 40 m \times 25 m \times 10 m. Find the maximum number of wooden crates each measuring 1.5 m \times 1.25 m \times 0.5 m that can be stored in the godown.
- **33.** A solid cube of side 12 cm is cut into eight cubes of equal volume. What will be the side of the new cube? Also, find the ratio between their surface areas.
- **34.** A river 3 m deep and 40 m wide is flowing at the rate of 2 km per hour. How much water will fall into the sea in a minute?
- **35.** The capacity of a closed cylindrical vessel of height 1 m is 15.4 litres. How many square metres of metal sheet would be needed to make it?
- **36.** A lead pencil consists of a cylinder of wood with a solid cylinder of graphite filled in the interior. The diameter of the pencil is 7 mm and the diameter of the graphite is 1 mm. If the length of the pencil is 14 cm, find the volume of the wood and that of the graphite.

- **37.** The pillars of a temple are cylindrically shaped. If each pillar has a circular base of radius 20 cm and height 10 m, how much concrete mixture would be required to build 14 such
- **38.** Monica has a piece of canvas whose area is 551 m-. She uses it to have a conical tent made, with a base radius of 7 m. Assuming that all the stitching margins and the wastage incurred while cutting, amounts to approximately 1 m², find the volume of the tent that can be made with it.
- **39.** A right triangle ABC with sides 5 cm, 12 cm and 13 cm is revolved about the side 12 cm. Find the volume of the solid so obtained.
- **40.** A heap of wheat is in the form of a cone whose diameter is 10.5 m and height is 3 m. Find its volume. The heap is to be covered by canvas to protect it from rain. Find the area of the canvas required.
- **41.** A dome of a building is in the form of a hemisphere. From inside, it was white-washed at the cost of Rs 498.96. If the cost of white-washing is Rs 2.00 per square metre, find the (i) inside surface area of the dome, (ii) volume of the air inside the dome.
- **42.** Twenty seven solid iron spheres, each of radius *r* and surface area S are melted to form a sphere with surface area S'. Find the (i) radius *r'* of the new sphere, (ii) ratio of S and S'.
- **43.** A capsule of medicine is in the shape of a sphere of diameter 3.5 mm. How much medicine (in mm3) is needed to fill this capsule?
- **44.** The surface area of a sphere of radius 5 cm is five times the area of the curved surface of a cone of radius 4 cm. Find the height and the volume of the cone (taking $\pi = \frac{22}{7}$)
- **45.** The radius of a sphere is increased by 10%. Prove that the volume will be increased by 33.1% approximately.
- **46.** Metal spheres, each of radius 2 cm, are packed into a rectangular box of internal dimensions 16 cm \times 8 cm \times 8 cm. When 16 spheres are packed the box is filled with preservative liquid. Find the volume of this liquid. Give your answer to the nearest integer. [Use $\pi = 3.14$]
- **47.** A storage tank is in the form of a cube. When it is full of water, the volume of water is 15.625 m³. If the present depth of water is 1.3 m, find the volume of water already used from the tank.
- **48.** Find the amount of water displaced by a solid spherical ball of diameter 4.2 cm, when it is completely immersed in water.
- **49.** How many square metres of canvas is required for a conical tent whose height is 3.5 m and the radius of the base is 12 m?
- **50.** Two solid spheres made of the same metal have weights 5920 g and 740 g, respectively. Determine the radius of the larger sphere, if the diameter of the smaller one is 5 cm.
- **51.** A school provides milk to the students daily in a cylindrical glasses of diameter 7 cm. If the glass is filled with milk upto an height of 12 cm, find how many litres of milk is needed to serve 1600 students.
- **52.** A cylindrical roller 2.5 m in length, 1.75 m in radius when rolled on a road was found to cover the area of 5500 m2. How many revolutions did it make?

- **53.** A small village, having a population of 5000, requires 75 litres of water per head per day. The village has got an overhead tank of measurement $40 \text{ m} \times 25 \text{ m} \times 15 \text{ m}$. For how many days will the water of this tank last?
- **54.** A shopkeeper has one spherical laddoo of radius 5cm. With the same amount of material, how many laddoos of radius 2.5 cm can be made?
- **55.** A right triangle with sides 6 cm, 8 cm and 10 cm is revolved about the side 8 cm. Find the volume and the curved surface of the solid so formed.
- **56.** Rain water which falls on a flat rectangular surface of length 6 m and breadth 4 m is transferred into a cylindrical vessel of internal radius 20 cm. What will be the height of water in the cylindrical vessel if the rain fall is 1 cm. Give your answer to the nearest integer. (Take $\pi = 3.14$)
- **57.** A cylindrical tube opened at both the ends is made of iron sheet which is 2 cm thick. If the outer diameter is 16 cm and its length is 100 cm, find how many cubic centimeters of iron has been used in making the tube?
- **58.** A semi-circular sheet of metal of diameter 28cm is bent to form an open conical cup. Find the capacity of the cup.
- **59.** A cloth having an area of 165 m2 is shaped into the form of a conical tent of radius 5 m
 - (i) How many students can sit in the tent if a student, on an average, occupies $\frac{5}{7}$ m² on the ground?
 - (ii) Find the volume of the cone.
- **60.** The water for a factory is stored in a hemispherical tank whose internal diameter is 14 m. The tank contains 50 kilolitres of water. Water is pumped into the tank to fill to its capacity. Calculate the volume of water pumped into the tank.
- **61.** The volumes of the two spheres are in the ratio 64 : 27. Find the ratio of their surface areas.
- **62.** A cube of side 4 cm contains a sphere touching its sides. Find the volume of the gap in between.
- **63.** A sphere and a right circular cylinder of the same radius have equal volumes. By what percentage does the diameter of the cylinder exceed its height?
- **64.** 30 circular plates, each of radius 14 cm and thickness 3cm are placed one above the another to form a cylindrical solid. Find: (i) the total surface area (ii) volume of the cylinder so formed.
- **65.** A hemispherical tank is made up of an iron sheet 1 cm thick. If the inner radius is 1 m, then find the volume of the iron used to make the tank.

MCQ WORKSHEET-I CLASS IX: CHAPTER - 14

STATISTICS

(a)
$$20 - 30$$

(b)
$$30 - 40$$

(c)
$$40 - 50$$

(d)
$$50 - 60$$

2. Class mark of the 1st class interval is 5 and there are five classes. If the class size is 10 then the last class interval is

(a)
$$20 - 30$$

(b)
$$30 - 40$$

(c)
$$40 - 50$$

(d)
$$50 - 60$$

3. The median of the following data is

	X	5	10	15	25	30
	f	4	6	7	3	5
\	1.5	()	25	(1) 00	`	

(a) 10

(b)	15

4. The mode in the above frequency distribution table is

(a) 10

5. The mean of the following data is

X	5	10	15	20	25	30
f	4	5	3	2	3	3
				41	^ .	

(a) 15

6. The median of first ten prime numbers is

- (a) 11
- (b) 12
- (c) 13
- (d) none of these.

7. The mean of first ten multiples of 5 is

- (a) 45
- (b) 55
- (c) 65
- (d) none of these.

8. The mean of first ten multiples of 2 is

- (a) 11
- (b) 12
- (c) 13
- (d) none of these.

9. The median of first ten multiples of 3 is

- (a) 15
- (b) 16
- (c) 16.5
- (d) none of these.

10. The median of the following data is

X	10	20	30	40	50	60
f	4	5	6	7	2	3

(a) 20

11. The median of the following data is

25	72	28	65	29	60	30	54	32	53
33	52	35	51	42	48	45	47	46	33

(a) 45

(b) 45.5

(c) 46

(d) none of these

12. Calculate the median income from the following data:

Income (in Rs,	10	20	30	40
No. of persons	2	4	10	4

(a) 20

(b) 30

(c) 40

(d) none of these

MCQ WORKSHEET-II CLASS IX: CHAPTER - 14 STATISTICS

1.	Class mark of class (a) 150	ss 150 – 160 is (b) 160	(c) 155	(d) none of these.	
2.	Average of number (a) 8.4		8 is (c) 4.8	(d) 8.2.	
3.	Mean of first 10 r (a) 6.5	natural numbers (b) 5.5	is (c) 7.5	(d) 8.5.	
4.			of a class are a, 152, 144, 148		
	(a) 150	(b) 147	(c) 149	(d) 148	
5.	The points scored 17, 2, 7, 27, 15, 5 Find the median of (a) 12	f, 14, 8, 10, 24, of the points sco	48, 10, 8, 7, 18		ws .
6.		, 7, 7, 6, 5, 4, 9	0, 10, 10, 3, 4, 7	0) obtained by 20 stude 7, 6, 9, 9 (d) 9	nts:
7.		said 10, 7, 13,	20 and 15 hour	ney spend in doing soci rs, respectively. Find th (d) none of these.	al work in their e mean (or average) time
8.	The width of each limit of the lowest is:	n of five continut class limit of t	nous classes in a	a frequency distribution is 10. The upper class	n is 5 and the lower class limit of the highest class
	(a) 35	(b) 15	(c) 25	(d) 40	
9.	Let m be the midp distribution. The l (a) $2m + 1$		t of the class is	nit of a class in a continution (c) m - 1	uous frequency (d) m – 2l
10.	The class marks of corresponding to (a) 12.5 – 17	the class mark	20 is	given as follows: 15, 20 (c) 22.5 – 27.5	
11.	In the class interv (a) $10-20$			er 20 is included in. terval (d) none of th	ese intervals
12.	The mean of 5 nu number is	mbers is 30. If	one number is e	excluded, their mean be	ecomes 28. The excluded
	(a) 28	(b) 30	(c) 35	(d) 38.	

MCQ WORKSHEET-III CLASS IX: CHAPTER - 14 STATISTICS

1.	Class mark of o	class 150 – 160	is	
	(a) 150	(b) 160	(c) 155	(d) none of these.

2. A grouped frequency distribution table with class intervals of equal sizes using 250 – 270 as one of the class interval is constructed for the following data:

268 220 368 258 242 310 272 342 310 290 300 320 319 304 402 318 406

268, 220, 368, 258, 242, 310, 272, 342, 310, 290, 300, 320, 319, 304, 402, 318, 406, 292, 354, 278, 210, 240, 330, 316, 406, 215, 258, 236

The frequency of the class 310 - 330 is

(a) 4 (b) 5 (c) 6 (d) 7.

3. To draw a histogram to represent the following frequency distribution: the adjusted frequency for the class interval 25 - 45 is

	C. I.	5 – 10	10 - 15	15 - 25	25 - 45	45 - 75
	f	6	12	10	8	15
6		(b) 5	(c) 2	(d) 3		_

4. If the mean of the observations: x, x + 3, x + 5, x + 7, x + 10 is 9, the mean of the last three observations is

(a)
$$10\frac{1}{3}$$
 (b) $10\frac{2}{3}$ (c) $11\frac{1}{3}$ (d) $11\frac{2}{3}$

5. If \bar{x} represents the mean of n observations $x_1, x_2, x_3, \ldots, x_n$, then the value of $\sum_{i=1}^{n} \left(x_i - \bar{x} \right)$

is

$$(a) -1$$

(a)

(b)
$$0$$

(d)
$$n - 1$$
.

6. If each observation of the data is increased by 5 then their mean

- (a) remains the same
- (b) becomes 5 times the original mean
- (c) is decreased by 5
- (d) is increased by 5.

7. There are 50 numbers. Each number s subtracted from 53 and the mean of the number so obtained is found to be 3.5. The mean of the given number is

(a) 46.5

8. The mean of 25 observations is 36. Out of these observations if the men of first 13 observations is 32 and that of the last 13 observations is 40, the 13th observation is

(a) 23

(b) 36

(c) 38

(d) 40.

9. The median of the data 78, 56, 22, 34, 45, 54, 39, 68, 54, 84 is

(a) 45

(b) 49.5

(c) 54

(d) 56.

10. For drawing a frequency polygon of a continuous frequency distribution, we plot the points whose ordinates are the frequency of the respective classes and abscissa re respectively

- (a) upper limits of the classes
- (b) lower limits of the classes
- (c) class marks of the classes
- (d) upper limits of preceding classes.

MCQ WORKSHEET-IV

CLASS IX: CHAPTER - 14 STATISTICS

A. 61

B. 52

C. 47

D. 53

A. 120

B. 130

C. 135

D. 150

A. 5

B. 7

C. 8

D. 10

A. 22

B. 26

C. 30


D. 34


A. 12.5 – 17.5

B. 22.5 – 27.5

C. 42.5 - 47.5

D. None of these





9. The mean of
$$x + 3$$
, $x - 2$, $x + 5$, $x + 7$ and $x + 72$ is

A.
$$x + 5$$

B.
$$x + 2$$

C.
$$x + 3$$

D.
$$x + 7$$

10. If the mean of *n* observations
$$x_1, x_2, x_3, \dots, x_n$$
 is \overline{x} then $\sum_{l=1}^n x_l - \overline{x}$ is

A. 1

B. -1

C. zero

D. can not be found

A. 12

B. 15

C. 30

D. 54

12.			ean of 10 tions is	number	s is 15	and the	at of anot	her 20	number is	24 the	n the mean of	al]
	A.	20		В.	15		C.	21		D.	24	
13.	The	media	n of 10,	12, 14,	16, 18	3, 20 is						
	A.	12		B.	14		C.	15		D.	16	
14.			ian of 12, then the			2, x + 4	, 28, 30,	32 is 2	23, when a	x + 2, x	+ 4 lie betwe	en
	A.	18		B.	19		C.	20		D.	22	
15.	If th	e mod	le of 12,	16, 19,	16, <i>x</i> ,	12, 16	, 19, 12	is 16,	then the	value of	f x is	
	A.	12		B.	16		C.	19		D.	18	
16.	The	mean	of the foll	owing o	data is							
	x_i fi		5 3	10 5		15 8	20 3		25 1			
	A.	12		В.	13		C.	13.5		D.	13.6	

Prepared by: M. S. KumarSwamy, TGT(Maths)

PRACTICE QUESTIONS CLASS IX: CHAPTER - 14

STATISTICS

- 1. Find the true class limits of the first two classes of the distibution 1–9, 10–19, 20–29,
- 2. The following are the marks obtained by 20 students in a class-test: 40, 22, 36, 27, 30, 12, 15, 20, 25, 31, 34, 36, 39, 41, 43, 48, 46, 36, 37, 40

 Arrange the above data in frequency distribution with equal classes, one of them being (0–10), 10 not included.
- 3. The electricity bills of twenty house holds in a locality are as follows: 370, 410, 520, 270, 810, 715, 1080, 712, 802, 775, 310, 375, 412, 420, 370, 218, 240, 250, 610, 570. Construct a frequency distribution table with class size 100.
- 4. The enrolment in classes VI to X of a school is given below:

Class:	VI	VII	VIII	IX	X
Enrolment:	70	65	60	45	35

Draw a bar chart to depict the data.

5. Draw a histogram and a frequency polygon for the following data:

Marks	10-20	20-30	30-40	40-50	50-60
No. of students	8	12	15	9	6

6. Draw a histogram for the following data:

Classes	10-15	15-20	20-30	30-50	50-80
Frequency	6	10	10	8	18

7. Find the mean of the following data:

- 8. The mean of the following data is 37. Find x 28, 35, 25, 32, x, 40, 45, 50
- 9. If the mean of *n* observation $2x_1$, $2x_2$,, $2x_n$ is $2\overline{x}$, show that $\sum_{i=1}^n (x_i 2\overline{x}) = 0$
- **10.** The mean of 20 observations is 25. If each observation is multiplied by 2, then find the mean of new observations.
- 11. The means of two groups of 15 and 20 observations are 20 and 25 respectively. Find the mean of all the 35 observations.
- 12. If the mode of the following data is 14, find the value of x 10, 12, 14, 15, 16, 14, 15, 14, 15, x, 16, 14, 16
- 13. The median of the observations, arranged in increasing order is 26. Find the value of x.

10, 17, 22,
$$x + 2$$
, $x + 4$, 30, 36, 40

14. Find the mode of 14, 25, 14, 28, 18, 17, 18, 14, 23, 22, 14, 18.

15. Find the mean salary of 60 workers of a factory from the following table:

Salary (Rs)	Number of workers
3000	16
4000	12
5000	10
6000	8
7000	6
8000	4
9000	3
10000	1
Total	60

16. 100 surnames were randomly picked up from a local telephone directory and frequency distributions of the number of letters in the English alphabet in the surnames was found as follows:

Number of letters	Number of surnames
1 - 4	6
4 – 6	30
6 – 8	44
8 – 12	16
12 - 20	4

- (i) Draw a histogram to depict the given information.
- (ii) Write the class interval in which the maximum number if surnames lie.
- 17. In a mathematics test given to 15 students, the following marks (out of 100) are recorded:
 - 41, 39, 48, 52, 46, 62, 54, 40, 96, 52, 98, 40, 42, 52, 60

Find the mean, median and mode of this data.

18. A family with a monthly income of Rs 20,000 had planned the following expenditures per month under various heads: Draw a bar graph for the given below data.

Heads	Expenditure (in thousand rupees)
Grocery	4
Rent	5
Education of children	5
Medicine	2
Fuel	2
Entertainment	1
Miscellaneous	1

- **19.** The value of π upto 50 decimal places is given below:
 - 3.14159265358979323846264338327950288419716939937510 (i) Make a frequency distribution of the digits from 0 to 9 after the decimal point. (ii) What are the most and the least frequently occurring digits?
- **20.** The following observations have been arranged in ascending order as 29, 32, 48, 50, x, x + 2, 72, 78, 84, 95. If the median of the data is 63, find the value of x.

21. Consider the marks, out of 100, obtained by 51 students of a class in a test, given in below table. Draw a frequency polygon corresponding to this frequency distribution table.

Marks	Number of students
0 - 10	5
10 - 20	10
20 - 30	4
30 - 40	6
40 - 50	7
50 - 60	3
60 - 70	2
70 - 80	2
80 - 90	3
90 - 100	9
Total	51

22. In a city, the weekly observations made in a study on the cost of living index are given below in the following table: Draw a frequency polygon for the data above (without constructing a histogram).

Cost of living index	Number of weeks
140 - 150	5
150 - 160	10
160 - 170	20
170 - 180	9
180 - 190	6
190 - 200	2
Total	52

23. The following table gives the life times of 400 neon lamps: (i) Represent the given information with the help of a histogram. (ii) How many lamps have a life time of more than 700 hours?

Life time (in hours)	Number of lamps
300 - 400	14
400 - 500	56
500 - 600	60
600 – 700	86
700 – 800	74
800 – 900	62
900 – 1000	48

- **24.** The mean of 13 observations is 14. If the mean of the first 7 observations is 12 and that of last 7 observation is 16, find the 7th observation.
- **25.** The average monthly salary of 15 workers in a factory is Rs. 285. If the salary of the manager is included, the average becomes Rs. 355. What is the manager's salary?

- **26.** For what value of x, is the mode of the following data is 17? 15, 16, 17, 14, 17 16, 13, x, 17, 16, 15, 15
- **27.** The runs scored by two teams A and B on the first 60 balls in a cricket match are given below: Represent the data of both the teams on the same graph by frequency polygons.

Number of balls	Team A	Team B
1 - 6	2	5
7 - 12	1	6
13 - 18	8	2
19 - 24	9	10
25 - 30	4	5
31 - 36	5	6
37 - 42	6	3
43 - 48	10	4
49 - 54	6	8
55 - 60	2	10

28. A random survey of the number of children of various age groups playing in a park was found as follows: Draw a histogram to represent the data above.

Age(in years)	Number of children
1 – 2	5
2 – 3	3
3 – 5	6
5 – 7	12
7 – 10	9
10 – 15	10
15 – 17	4

29. Calculate mean (by using assume mean method), median and mode.

Income	50	150	250	350	450	550	650	750
No. of persons	4	8	9	10	7	5	4	3

30. The mean of the following distribution is 107. Find the value of f_1 and f_2 .

X	15	45	75	105	135	165	195	Total
f	2	3	\mathbf{f}_1	10	3	f_2	2	30

- **31.** Find the median of the distribution obtained in question no.2.
- **32.** Find the median of first sixteen odd numbers.
- **33.** Find the median of first ten prime numbers.
- **34.** A school has two sections. The mean mark of one section of size 40 is 60 and mean mark of other section of size 60 is 80. Find the combined mean of all the students of the school.
- **35.** The median of the following observations arranged in ascending order 8, 9, 12, 18, (x + 2), (x + 4), 30, 31, 34, 39 is 24. Find x.
- **36.** The mean weight of 180 students in a school is 50kg. The mean weight of boys is 60kg while that of the girls is 45kg. Find the number of the boys and girls in the school.

37. Draw histogram and frequency polygon for the following distribution:

_			1 / 1	70			
	C. I.	0 - 50	50 - 100	100 - 150	150 - 200	200 - 250	250 - 300
	F	4	8	16	13	6	3

38. Calculate mean by step deviation method:

Marks	5.5	15.5	25.5	35.5	45.5	55.5
No. of Students	3	16	26	31	16	8

39. The mean of the following distribution is 15. Find the value of a.

C. I.	5	10	15	20	25
Freq	6	a	6	10	5

40. Calculate mean by step deviation method:

Marks	15	25	35	45	55
No. of Students	20	24	40	36	20

41. The mean of the following distribution is 50. Find the value of p.

C. I.	10	30	50	70	90
Freq	17	p	32	24	19

42. Find the missing frequencies from the frequency distribution if the mean is 472 for 100 workers

Income	250	350	450	550	650	750	850
No. of workers	5	X	y	16	9	6	4

- **43.** In a school 90 boys and 30 girls appeared in a public examination. The mean marks of boys was found to be 45% whereas the mean marks of girls was 70%. Determine the average marks % of the school.
- **44.** The marks secured by 15 students are 70, 55, 95, 62, 82, 65, 60, 68, 75, 58, 64, 85, 80, 90, 51. Find the median marks.

45. Calculate mean (by using short cut method), median and mode.

Marks	25	35	45	55	65	75	85	95
No. of Students	5	12	6	20	18	10	16	3

46. The mean of the following distribution is 112.2 for the sum of observation 100. Find the value of x and y.

C. I.	60	80	100	120	140	160
Freq	18	X	13	27	Y	22

- **47.** The median of the following observations arranged in ascending order 8, 9, 12, 18, (x + 2), (x + 4), 30, 31, 34, 39 is 24. Find x.
- **48.** If the mean of 2x + 3, 3x + 4, x + 7, x 3, 4x 7 is 14. Find the value of x.
- **49.** The mean of 8 numbers is 15. If each number if multiplied by 2, what will be the new mean?

50. Find the mean (by using assume mean method), median and mode of the following distribution:

X	15	25	35	45	55	65
f	90	50	60	80	50	30

51. Find the mean (by using step deviation method) ,median and mode of the given data:

	\ \	$ \sigma$, ,	2		
X	6	10	14	18	22	26	30
f	2	4	7	12	8	4	3

52. Draw histogram and frequency polygon for the following data:

Marks	10 - 20	20 - 30	30 – 40	40 – 50	50 - 60
No. of students	10	12	13	11	9

53. The mean of 25 observations is 36. If the mean of the first 13 observations is 32 and that of the last 13 observations is 39, find the 13th observation.

54. Find mean (by using assume mean method), median and mode of the following table:

Salaries (in Rs.)	1500	2000	2500	3000	3500	4000	4500	5000
No. of workers	16	12	10	8	6	4	3	1

55. Find the mean (by using step deviation method), median and mode of the following distribution:

X	24.5	34.5	44.5	54.5	64.5	74.5	84.5	94.5
f	5	12	15	20	18	10	6	4

56. For the following data, draw a histogram and a frequency polygon.

				1	<u> </u>			
Marks	20-30	30-40	40-50	50-60	60-70	70-80	80-90	90-100
No. of students	5	12	6	20	18	10	16	3

57. Given below are the ages of 25 students of class IX in a school.

Prepare a discrete frequency distribution table.

15	16	16	17	17	16	15	15	16	16	17	15	16
16	14	16	15	14	15	16	16	15	14	14	15	

58. Find the median of the following data: 33, 31, 48, 45, 41, 92, 78, 51, and 61. If 92 is replaced by 29, what will be the new median?

59. Following are the marks of a group of students in a test of reading ability test:

Marks:	50 – 52	47 – 49	44 – 46	41 – 43	38 – 40	35 – 37	32 - 34	Total
No. of students	4	10	15	18	20	12	13	92

Construct a histogram and frequency polygon for the above data.

60. For the following data, draw a histogram and a frequency polygon

		, ,			1 / 1	, 0		
X	0 - 10	10 - 20	20 - 30	30 - 50	50 - 60	60 - 80	80 - 90	90 –100
f	5	12	15	20	18	10	6	4

MCQ WORKSHEET-I CLASS IX: CHAPTER - 15 PROBABILITY

1.	There are 6 marbles in a be probability of drawing a r	oox with number 1 to6 marked narble with number 2 ?	on e	ach of them . Wha	at is the
	(a) $\frac{1}{6}$	(b) $\frac{1}{5}$	(c)	$\frac{1}{3}$	(d) 1
2.	A coin is flipped to decide start?	e which team starts the game.	Wha	t is the probability	of your team will
	(a) $\frac{1}{4}$	(b) $\frac{1}{2}$	(c)	1	(d) 0
3.	A die is thrown once . Wh	hat will be the probability of go	etting	a prime number?	1
	(a) $\frac{1}{6}$	(b) $\frac{1}{2}$	(c)	1	(d) 0
dra		nmbers 1 to 25 are placed in the x. Answer the following quest			ighly. One card is
4.	What is the probability of	getting a number 5?			
	(a) 1	(b) 0	(c)	$\frac{1}{25}$	(d) $\frac{1}{5}$
5.	What is the probability of	getting a number less than 11	?		
	(a) 1	(b) 0	(c)	$\frac{1}{5}$	(d) $\frac{2}{5}$
6.	What is the probability of	getting a number greater than	25?		
	(a) 1	(b) 0	(c)	$\frac{1}{5}$	(d) $\frac{2}{5}$
7.	What is the probability of	getting a multiple of 5?			
	(a) 1	(b) 0	(c)	$\frac{1}{25}$	(d) $\frac{1}{5}$
8.	What is the probability of	getting an even number?			4.0
	(a) 1	(b) 0	(c)	$\frac{12}{25}$	(d) $\frac{13}{25}$
9.	What is the probability of	getting an odd number?			
	(a) 1	(b) 0	(c)	$\frac{12}{25}$	(d) $\frac{13}{25}$
10.	What is the probability of				
	(a) $\frac{8}{25}$	(b) $\frac{9}{25}$	(c)	$\frac{12}{25}$	(d) $\frac{13}{25}$

	ility of getting a number divi		13
(a) $\frac{8}{25}$	(b) $\frac{9}{25}$	(c) $\frac{12}{25}$	(d) $\frac{13}{25}$
•	ility of getting a number divi	isible by 4?	
(a) $\frac{8}{25}$	(b) $\frac{9}{25}$	(c) $\frac{6}{25}$	(d) $\frac{3}{25}$
-	ility of getting a number divi	isible by 7?	
(a) $\frac{8}{25}$	(b) $\frac{9}{25}$	(c) $\frac{6}{25}$	(d) $\frac{3}{25}$
_	alls and 2 yellow balls. A bability of getting a red ball?	all is drawn from the bag	without looking into the
(a) $\frac{1}{6}$	$(b)\frac{2}{3}$	(c) $\frac{1}{3}$	(d) 1
_	alls and 2 yellow balls. A bability of getting a yellow ball	_	without looking into the
(a) $\frac{1}{6}$	(b) $\frac{2}{3}$	(c) $\frac{1}{3}$	(d) 1

MCQ WORKSHEET-II CLASS IX: CHAPTER - 15 PROBABILITY

A box contains 3 blue, 2 white, and 5 red marbles. If a marble is drawn at random from the box, then answer the questions from 1 to 5.

(b) $\frac{1}{5}$ (c) $\frac{1}{3}$

1. What is the probability that the marble will be white?

(a) $\frac{1}{6}$

2.	What is the probability that the r (a) $\frac{1}{6}$	marble will be red? (b) $\frac{1}{2}$	(c) 1	(d) 0
3.	What is the probability that the r (a) $\frac{3}{10}$	marble will be blue? (b) $\frac{1}{2}$	(c) 1	(d) 0
4.	What is the probability that the r (a) $\frac{1}{6}$	marble will be any one of $\frac{1}{2}$	colour?	(d) 0
5.	What is the probability that the r (a) 1	marble will be red or blue (b) $\frac{4}{5}$	ue? (c) $\frac{1}{5}$	(d) $\frac{2}{5}$
A	die is thrown once, then answer	the questions from 6	to 10.	
6.	Find the probability of getting a	prime number		
	(a) $\frac{1}{6}$	(b) $\frac{1}{2}$	(c) 1	(d) 0
7.	Find the probability of getting a	number lying between	2 and 6	
	(a) $\frac{1}{6}$	(b) $\frac{1}{2}$	(c) 1	(d) 0
8.	Find the probability of getting ar	n odd number.		
	(a) $\frac{1}{6}$	(b) $\frac{1}{2}$	(c) 1	(d) 0
9.	Find the probability of getting ar			
	(a) $\frac{1}{6}$	(b) $\frac{1}{2}$	(c) 1	(d) 0
10.	Find the probability of getting a	•		
	(a) $\frac{1}{x}$	$(\mathbf{b})\frac{2}{\mathbf{b}}$	(c) $\frac{1}{x}$	(d) 1

(d) 1

MCQ WORKSHEET-III CLASS IX: CHAPTER - 15 PROBABILITY

A box contains 5 red marbles, 6 white marbles and 4 green marbles. If a marble is drawn at *random* from the box, then answer the questions from 1 to 6.

(c) $\frac{1}{3}$

(c) $\frac{1}{3}$

(c) 1

(d) 1

(d) 1

(d) none of these

(b) $\frac{2}{3}$

(b) $\frac{2}{3}$

(b) $\frac{1}{2}$

1. What is the probability that the marble will be white?

2. What is the probability that the marble will be red?

3. What is the probability that the marble will be green?

(a) $\frac{1}{6}$

(a) $\frac{1}{6}$

(a) 0.3

4. What is the prob	ability that the marble will be any	one colour?	
(a) $\frac{1}{6}$	(b) $\frac{1}{2}$	(c) 1	(d) 0
5. What is the prob	pability that the marble will be red	or green?	
(a) $\frac{2}{5}$	(b) $\frac{3}{25}$	(c) $\frac{1}{5}$	(d) none of these
6. What is the prob	pability that the marble will be blue	e?	
(a) $\frac{1}{6}$	(b) $\frac{1}{2}$	(c) 1	(d) 0
	with numbers 1 to 50 are placed om the box. Answer the following		_ ,
7. What is the prob	pability of getting a number 5?		
(a) 1	(b) 0	(c) $\frac{1}{25}$	(d) $\frac{1}{5}$
8. What is the prob	ability of getting a number less th	nan 11?	
(a) 1	(b) 0	(c) $\frac{1}{5}$	(d) $\frac{2}{5}$
9. What is the prob	pability of getting a number greate	er than 50?	
(a) 1	(b) 0	(c) $\frac{1}{5}$	(d) $\frac{2}{5}$
10. What is the prob	pability of getting a multiple of 5?		
(a) 1	(b) 0	(c) $\frac{1}{25}$	(d) $\frac{1}{5}$
Prepared by: M. S. I	KumarSwamy, TGT(Maths)		Page - 81 -

- **11.** What is the probability of getting an even number?
 - (a) 1
- (b) $\frac{1}{2}$

- (c) $\frac{12}{25}$
- (d) $\frac{13}{25}$

- 12. What is the probability of getting an odd number?
 - (a) 1

(b) $\frac{1}{2}$

- (c) $\frac{12}{25}$
- (d) $\frac{13}{25}$

- 13. What is the probability of getting a prime number?
 - (a) 1
- (b) $\frac{1}{2}$

- (c) $\frac{4}{10}$
- (d) $\frac{3}{10}$

- **14.** What is the probability of getting a number divisible by 3?
 - (a) $\frac{8}{25}$
- (b) $\frac{9}{25}$

- (c) $\frac{12}{25}$
- (d) $\frac{13}{25}$

- **15.** What is the probability of getting a number divisible by 4?
 - (a) $\frac{8}{25}$
- (b) $\frac{9}{25}$

- (c) $\frac{6}{25}$
- (d) $\frac{3}{25}$

- **16.** What is the probability of getting a number divisible by 7?
 - (a) $\frac{8}{25}$
- (b) $\frac{9}{25}$

- (c) $\frac{6}{25}$
- (d) $\frac{3}{25}$

MCQ WORKSHEET-IV CLASS IX: CHAPTER - 15 PROBABILITY

1.		tossed 1000 to of a Head in			a "he	ad" occur	rs. The emp	oirical p	robability of
	A. 0.5]	3. 0.56		C.	0.44	I	O. 0.	056
2.	Two coins	are tossed 20	00 times and	the follo	owing	out come	es are recor	ded	
		НН	НТ/ТН		TT				
		56	110		34				
	What is th	e empirical p	obability of	occurrer	nce of	at least of	one Head in	the ab	ove case
	A. 0.33]	3. 0.34		C.	0.66	I	O. 0.	83
	A die is th	rown 200 tim	es and the fo	ollowing	outco	mes are n	oted, with t	heir fre	quencies:
	Outcome	1	2	3		4	5	6	8
	Frequency	y 56	22	30		42	32	18	3
3.	What is th	e empirical pr	obability of	getting a	ı 1 in	the above	e case.		
	A. 0.28]	3. 0.22		C.	0.15	I	D. 0.	21
4.	What is th	e empirical pr	obability of	getting a	. num	ber less th	nan 4 ?		
	A. 0.50]	3. 0.54		C.	0.46	I	O. 0.	52
5.	What is th	e empirical pr	obability. of	getting a	ı num	ber greate	er than 4.		
	A. 0.32]	3. 0.25		C.	0.18	I	O. 0.	30
6.	On a parti	cular day, the	number of v	ehicles p	assin	g a crossi	ng is given	below	•
	Vehicle Frequency	Two w	rheeler 52	Thre	ee wh	eeler	Four w	vheeler 77	
		e probability	of a two wh	eeler pas	sing	the crossi	ng on that o	lay ?	
	A. 0.26]	3. 0.71		C.	0.385	I	O. 0.	615
7.	The follow	ving table show	ws the blood	l-group o	f 100	students			
	Blood grown Number of		A 12	B 23		O 35	AB 20	B 10	
	One stude	nt is taken at	random. Wh	at is pro	babili	ty that his	s blood gro	up is B	+
	A. 0.12]	3. 0.35		C.	0.20	I	O. 0.	10

8.		-									ones. A ood is	bulb	is tak	ten out of the ba	g
	A.	0.50)		B.	0.7	0		C.	0.3	80		D.	None of thes	е
9.		_		lephon umber				_	teleph	one r	numbers	, the	Frequ	nency of the unit	
		0 18	1 22	2 32	3 28	4 40	5 30	6 30	7 22	8 18	9 10				
	A te	_	ne nur	nber is	selec	ted fro	om the	e page	at ran	dom.	What is	the p	probal	oility that its unit	
	(a)2														
	A.	0.16			B.	0.12	8		C.	0.06	54		D.	0.04	
	(b) I	More	than (5											
	A.	0.20			B.	0.25			C.	0.32	2		D.	0.16	
	(c) l	ess th	an 2												
	A.	0.16			B.	0.18			C.	0.22	2		D.	0.32	
10.	at a	pen a	and te	ll whe	ther o	r not	it is d	efectiv	e. On	e pen		out		ble to just look ndom from this	
	A.	0.10			В. 0	0.20			C. 0	.90			D. 1.	.0	

PRACTICE QUESTIONS <u>CLASS IX: CHAPTER - 15</u> PROBABILITY

- 1. Write all possible outcomes when
 - (i) one coin is tossed.
 - (ii) two coins are tossed.
 - (iii) one die is rolled.
- 2. Three coins are tossed simultaneously 100 times. The following outcomes are recorded.

Outcome	3 tails	2 tails	1 tail	No tail
Frequency	23	28	23	26

Find the probability of coming up more than one tail.

3. A die is thrown 300 times with the frequencies for the outcomes 1, 2, 3, 4, 5 and 6 as given in the following table :

Outcome	1	2	3	4	5	6
Frequency	42	60	55	53	60	30

Find the probability of getting (i) an even number (ii) a prime number and (iii) a number more than 4.

- **4.** A box contains 3 blue, 2 white, and 4 red marbles. If a marble is drawn at *random* from the box, what is the probability that it will be (i) white? (ii) blue? (iii) red?
- **5.** A coin is tossed 1000 times with the following frequencies: Head: 455, Tail: 545 Compute the probability for getting head.
- **6.** Two coins are tossed simultaneously 500 times, and we get Two heads: 105 times, One head: 275 times and No head: 120 times. Find the probability of occurrence of two heads.
- **7.** A die is thrown 1000 times with the frequencies for the outcomes 1, 2, 3, 4, 5 and 6 as given in the following table :

Outcome	1	2	3	4	5	6
Frequency	179	150	157	149	175	190

Find the probability of getting (i) an odd number (ii) a prime number and (iii) a number greater than 4.

- **8.** 12 defective pens are accidentally mixed with 132 good ones. It is not possible to just look at a pen and tell whether or not it is defective. One pen is taken out at random from this lot. Determine the probability that the pen taken out is a good one.
- **9.** On one page of a telephone directory, there were 200 telephone numbers. The frequency distribution of their unit place digit (for example, in the number 25828573, the unit place digit is 3) is given in Table 15.7:

Digit	0	1	2	3	4	5	6	7	8	9
Frequency	22	26	22	22	20	10	14	28	16	20

Without looking at the page, the pencil is placed on one of these numbers, i.e., the number is chosen at *random*. What is the probability that the digit in its unit place is (i) an odd number (ii) a prime number and (iii) a number greater than 4.?

- **10.** A box contains 90 discs which are numbered from 1 to 90. If one disc is drawn at random from the box, find the probability that it bears (i) a two-digit number (ii) a perfect square number (iii) a number divisible by 5.
- **11.** A lot consists of 144 ball pens of which 20 are defective and the others are good. Nuri will buy a pen if it is good, but will not buy if it is defective. The shopkeeper draws one pen at random and gives it to her. What is the probability that (i) She will buy it? (ii) She will not buy it?
- **12.** A bag contains 3 red balls and 5 black balls. A ball is drawn at random from the bag. What is the probability that the ball drawn is (i) red? (ii) not red?
- **13.** A box contains 5 red marbles, 8 white marbles and 4 green marbles. One marble is taken out of the box at random. What is the probability that the marble taken out will be (i) red ? (ii) white ? (iii) not green?
- **14.** A die is thrown once. Find the probability of getting (i) a prime number; (ii) a number lying between 2 and 6; (iii) an odd number.
- **15.** A bag contains 5 red, 8 green and 7 white balls. One ball is drawn at random from the bag, find the probability of getting (i) a white ball or a green ball and (ii) neither green ball nor red ball.
- **16.** Harpreet tosses two different coins simultaneously. What is the probability that she gets *at least* one head?
- **17.** A company selected 4000 households at random and surveyed them to find out a relationship between income level and the number of television sets in a home. The information so obtained is listed in the following table:

Monthly income	Number of Televisions/household								
(in Rs.)	0	1	2	Above 2					
< 10000	20	80	10	0					
10000 – 14999	10	240	60	0					
15000 – 19999	0	380	120	30					
20000 - 24999	0	520	370	80					
25000 and above	0	1100	760	220					

Find the probability:

- (i) of a household earning Rs 10000 Rs 14999 per year and having exactly one television.
- (ii) of a household earning Rs 25000 and more per year and owning 2 televisions.
- (iii) of a household not having any television.
- **18.** Cards are marked with numbers 4, 5, 6,50 are placed in the box and mixed thoroughly. One card is drawn at random from the box. What is the probability of getting (i) an even prime number (ii) a number divisible by 5 and (iii) multiple of 7?
- **19.** The record of a weather station shows that out of the past 250 consecutive days, its weather forecasts were correct 175 times. (i) What is the probability that on a given day it was correct? (ii) What is the probability that it was not correct on a given day?
- **20.** Two dice are thrown simultaneously 500 times. Each time the sum of two numbers appearing on their tops is noted and recorded as given in the following table:

Sum	2	3	4	5	6	7	8	9	10	11	12
Frequency	14	30	42	55	72	75	70	53	46	28	15

If the dice are thrown once more, what is the probability of getting a sum (i) 3? (ii) more than 10? (iii) less than or equal to 5? (iv) between 8 and 12?

21. Bulbs are packed in cartons each containing 40 bulbs. Seven hundred cartons were examined for defective bulbs and the results are given in the following table:

Number of defective bulbs	0	1	2	3	4	5	6	More than 6
Frequency	400	180	48	41	18	8	3	2

One carton was selected at random. What is the probability that it has

- (i) no defective bulb?
- (ii) defective bulbs from 2 to 6?
- (iii) defective bulbs less than 4?
- **22.** Over the past 200 working days, the number of defective parts produced by a machine is given in the following table:

Number of defective parts	0	1	2	3	4	5	6	7	8	9	10	11	12	13
Days	50	32	22	18	12	12	10	10	10	8	6	6	2	2

Determine the probability that tomorrow's output will have

- (i) no defective part
- (ii) atleast one defective part
- (iii) not more than 5 defective parts
- (iv) more than 13 defective parts
- 23. A recent survey found that the ages of workers in a factory is distributed as follows:

Age(in years)	20 - 29	30 – 39	40 – 49	50 – 59	60 and above
Number of workers	38	27	86	46	3

If a person is selected at random, find the probability that the person is:

- (i) 40 years or more
- (ii) under 40 years
- **24.** Three coins are tossed simultaneously 200 times with the following frequencies of different outcomes:

Outcomes	3 heads	2 heads	1 head	No head
Frequency	23	72	77	28

If the three coins are simultaneously tossed again, compute the probability of getting

- (i) 2 heads.
- (ii) at least 2 heads
- (iii) at most 2 heads

<u>SET – 01</u>

BLUE PRINT: SA-II (IX): MATHEMATICS

Unit/Topic	MCQ (1 mark)	Short answer (2 marks)	Short answer (3 marks)	Long answer (4 marks)	Total
Algebra Linear Equations in two variables			6(2)	4(1)	10(3)
Geometry Quadrilaterals, Area, Circles & Construction	1(1)	6(3)	3(1)	28(7)	38(12)
Mensuration Surface Areas and Volumes	2(2)		12(4)	8(2)	22(8)
Statistics		2(1)	6(2)	4(1)	12(4)
Probability	1(1)	4(2)	3(1)		8(4)
Total	4(4)	12(6)	30(10)	44(11)	90(31)

The test of OTBA for SA-II will be from Unit-II Linear Equation in Two variables

SAMPLE PAPER – I

Class - IX Max. Marks: 90 **Subject: Mathematics** Time Allowed: 3 hrs

General Instruction:

- All questions are compulsory. (i)
- The question paper consists of 34 questions divided into four sections A, B. C and D. (ii)
- (iii) Section A contains 8 multiple-choice questions of 1 mark each. Section B contains 6 questions of 2 marks each. Section C contains 10 questions of 3 marks each. Section D contains 10 questions of 4 marks each.
- Use of calculator is not permitted. (iv)

SECTION – A

Question numbers 1 to 8 carry 1mark each. For each question, four alternative choices have been provided of which only one is correct. You have to select the correct choice.

- 1. If the length of a chord of a circle at a distance of 5 cm from the centre of the circle is 24 cm, find the radius of the circle.
 - (a) 13 cm
- (b) 14 cm
- (c) 16 cm
- (d) 15 cm
- 2. The curved surface area of a cylinder of height 14 cm is 88 cm². The diameter of its circular base (b) 4cm is (a) 5cm (c) 3cm (d) 2cm
- 3. A bag has 4 red balls and 2 yellow balls. A ball is drawn from the bag without looking into the bag. What is probability of getting a yellow ball?


- (b) $\frac{2}{3}$ (c) $\frac{1}{3}$
- (d) 1
- **4.** Base radius of two cylinder are in the ratio 2:3 and their heights are in the ratio 5:3. The ratio of their volumes is
 - (a) 27:20
- (b) 25:24
- (c) 20:27
- (d) 15:20

<u>SECTION – B</u>

Question numbers 9 to 14 carry 2 marks each.

5. In the below fig. O is any point on the diagonal BD of the parallelogram ABCD. Prove that $ar(\Delta OAB) = ar(\Delta OBC)$.

- **6.** The record of a weather station shows that out of the past 250 consecutive days, its weather forecasts were correct 175 times. (i) What is the probability that on a given day it was correct? (ii) What is the probability that it was not correct on a given day?
- 7. The following observations have been arranged in ascending order as 29, 32, 48, 50, x, x + 2, 72, 78, 84, 95. If the median of the data is 63, find the value of x.
- **8.** Angles of a quadrilateral are in the ratio 3:4:4:7. Find all the angles of the quadrilateral.
- **9.** Cards are marked with numbers 4, 5, 6,50 are placed in the box and mixed thoroughly. One card is drawn at random from the box. What is the probability of getting (i) an even prime number (ii) a number divisible by 5?
- **10.** In the below figure, A, B, C and D are four points on a circle. AC and BD intersect at a point E such that $\angle BEC = 130^{\circ}$ and $\angle ECD = 20^{\circ}$. Find $\angle BAC$.



Question numbers 15 to 24 carry 3 marks each.

- **11.** A box contains 5 red marbles, 8 white marbles and 4 green marbles. One marble is taken out of the box at random. What is the probability that the marble taken out will be (i) red ? (ii) white ? (iii) not green?
- **12.** A joker's cap is in the form of a right circular cone of base radius 7 cm and height 24 cm. Find the area of the sheet required to make 10 such caps.
- 13. The value of π upto 50 decimal places is given below:
 - 3.14159265358979323846264338327950288419716939937510 (i) Make a frequency distribution of the digits from 0 to 9 after the decimal point. (ii) What are the most and the least frequently occurring digits?
- 14. OTBA Question from Linear Equation in two variables
- 15. OTBA Question from Linear Equation in two variables
- **16.** In a quadrilateral ABCD, AO and BO are the bisectors of $\angle A$ and $\angle B$ respectively. Prove that $\angle AOB = \frac{1}{2}(\angle C + \angle D)$
- **17.** A right triangle ABC with sides 5 cm, 12 cm and 13 cm is revolved about the side 12 cm. Find the volume of the solid so obtained.

18. For the following data, draw a histogram and a frequency polygon

				<u>, , , , , , , , , , , , , , , , , , , </u>	, ,	
X	0 - 20	20 - 30	30 - 50	50 - 60	60 - 80	80 - 100
f	12	15	20	18	10	14

- **19.** A river, 3 m deep and 40m wide, is flowing at the rate of 2km/hr. How much water will fall into the sea in a minute?
- **20.** A conical tent is 10 m high and the radius of its base is 24 m. Find (i) slant height of the tent. (ii) cost of the canvas required to make the tent, if the cost of 1 m² canvas is Rs 70.


SECTION – D

Question numbers 25 to 34 carry 4 marks each.

- **21.** Construct a triangle XYZ in which $\angle Y = 30^{\circ}$, $\angle Z = 90^{\circ}$ and XY + YZ + ZX = 11 cm.
- **22.** Find the mean of the following data:

Income	50	150	250	350	450	550	650	750
No. of persons	4	8	9	10	7	5	4	3

23. In the below figure, AB is a diameter of the circle, CD is a chord equal to the radius of the circle. AC and BD when extended intersect at a point E. Prove that $\angle AEB = 60^{\circ}$.




- **24.** Prove that "The line segment joining the mid-points of two sides of a triangle is parallel to the third side and half of it".
- **25.** Prove that "The angle subtended by an arc at the centre is double the angle subtended by it at any point on the remaining part of the circle."
- **26.** Prove that "The sum of either pair of opposite angles of a cyclic quadrilateral is 180°."


27. OTBA Question from Linear Equation in two variables

28. A school provides milk to the students daily in a cylindrical glasses of diameter 7 cm. If the glass is filled with milk upto an height of 12 cm, find how many litres of milk is needed to serve 1600 students. What are the benefits of taking milk daily?

- **29.** 30 circular plates, each of radius 14 cm and thickness 3cm are placed one above the another to form a cylindrical solid. Find: (i) the total surface area (ii) volume of the cylinder so formed.
- **30.** In the below figure, ABCDE is any pentagon. BP drawn parallel to AC meets DC produced at P and EQ drawn parallel to AD meets CD produced at Q. Prove that ar (ABCDE) = ar (APQ)



31. In fig. P is a point in the interior of a parallelogram ABCD. Show that ar(APD) + ar(PBC) = ar(APB) + ar(PCD)



<u>SET – 02</u>

BLUE PRINT: SA-II (IX): MATHEMATICS

Unit/Topic	MCQ	Short answer	Short answer	Long answer	Total
	(1 mark)	(2 marks)	(3 marks)	(4 marks)	
Algebra					
Linear Equations in			6(2)	4(1)	10(3)
two variables					
Geometry					
Quadrilaterals, Area,	2(2)	6(3)	6(2)	24(6)	38(13)
Circles &	2(2)	0(3)	0(2)	24(0)	30(13)
Construction					
Mensuration					
Surface Areas and	1(1)		9(3)	12(3)	22(7)
Volumes					
Statistics	1(1)	4(2)	3(1)	4(1)	12(5)
D 1 1 1111		2(1)	((2)		0(2)
Probability		2(1)	6(2)		8(2)
Total	4(4)	12(6)	30(10)	44(11)	90(31)

The test of OTBA for SA-II will be from Unit-II Linear Equation in Two variables

SAMPLE PAPER - II

Class – IX Max. Marks: 90
Subject: Mathematics Time Allowed: 3 hrs


General Instruction:

- (i) All questions are compulsory.
- (ii) The question paper consists of 34 questions divided into four sections A, B. C and D.
- (iii) Section A contains 8 multiple-choice questions of 1 mark each. Section B contains 6 questions of 2 marks each. Section C contains 10 questions of 3 marks each. Section D contains 10 questions of 4 marks each.
- (iv) Use of calculator is not permitted.

SECTION-A

Question numbers 1 to 8 carry 1mark each. For each question, four alternative choices have been provided of which only one is correct. You have to select the correct choice.

- 1. The median of a triangle divides it into two
 - (A) triangles of equal area (B) equilateral triangles
 - (C) right triangles (D) isosceles triangles
- 2. In Fig.1, AOB is a diameter of the circle and AC = BC, then \angle CAB is equal to (A) 30^0 (B) 45^0 (C) 90^0 (D) 60^0




- **3.** In a frequency distribution, the mid-value of a class is 20 and the width of the class is 8, then the lower limit of the class is
 - (A) 12 (B) 24 (C) 28 (D) 16
- **4.** If the volume of a sphere is numerically equal to its surface area, then radius of the sphere is (A) 1 unit (B) 3 units (C) 2 units (D) 6 units

SECTION-B Question numbers 9 to 14 carry 2 marks each.

- 5. D and E are points on sides AB and AC respectively of \triangle ABC such that ar (DBC) = ar (EBC). Prove that DE || BC.
- **6.** Find the mode of the following data: 5, 7, 6, 5, 9, 8, 6, 7, 11, 10, 5, 7, 6, 8, 6, 9, 10.
- 7. In a cricket match, a batsman hits a boundary 4 times out of 30 balls, he plays. Find the probability that he did not hit a boundary.
- **8.** Prove that equal chords of a circle subtend equal angles at the centre.

9. In the below figure, $\angle DAB = 70^{\circ}$, $\angle DBA = 35^{\circ}$. Find the measure of $\angle ACB$.




10. The mean of the following data is 37. Find x 28, 35, 25, 32, x, 40, 45, 50

SECTION-C Question numbers 15 to 24 carry 3 marks each.

11. Prove that a diagonal of a parallelogram divides it into two congruent triangles.

12. OTBA Question from Linear Equation in two variables

- 13. A lead pencil consists of a cylinder of wood with a solid cylinder of graphite filled in the interior. The diameter of the pencil is 7mm and the diameter of the graphite is 1mm. If the length of the pencil is 14cm, find the volume of the wood. (use $\pi = 22/7$).
- **14.** In the below Fig., ABCD is a trapezium in which AB DC. O is the mid point of BC. Through the point O, a line PQ AD has been drawn which intersects AB at Q and DC produced at P. Prove that ar (ABCD) = ar (AQPD).



- **15.** A heap of wheat is in the form of a cone, the diameter of whose base is 14m and height is 3m. Find its volume. The heap is to be covered by canvas to protect it from rain. Find the area of the canvas required.
- **16.** Find mean of the following data:

Marks	10	11	12	13	14	15
No. of Students	6	3	4	5	7	5

17. OTBA Question from Linear Equation in two variables

18. The radius of a spherical balloon increases from 7cm to 14cm as air is being pumped into it. Find the ratio of surface areas of the balloon in the two cases.

19. A recent survey found that the ages of workers in a factory is distributed as follows:

Age(in years)	20 - 29	30 – 39	40 – 49	50 – 59	60 and above
Number of workers	38	27	86	46	3

If a person is selected at random, find the probability that the person is:

- (i) 40 years or more
- (ii) under 40 years

20. A die is thrown 400 times with the frequencies for the outcomes 1, 2, 3, 4, 5 and 6 as given in the following table.


Outcomes	1	2	3	4	5	6
Frequency	72	65	70	71	63	59

Find the probability of (i) getting a number less than 3. (ii) getting an outcome 6. (iii) getting a number more than 4.

SECTION-D


Question numbers 25 to 34 carry 4 marks each.

- **21.** Show that the line segments joining the mid points of the opposite sides of a quadrilateral bisect each other.
- **22.** Construct a triangle ABC in which BC = 8cm, \angle B = 30⁰ and AB AC = 3.5cm
- **23.** In the below Fig., ABCD is a parallelogram and E is the mid point of AD. DL || BE meets AB produced at F. Prove that B is the midpoint of AF and EB =LF.



24. OTBA Question from Linear Equation in two variables

- 25. A storage tank is in the form of a cube. When it is full of water, the volume of the water is 15.625m³. If the present depth of the water is 1.3m, find the volume of water already used from the tank.
- **26.** Diagonals AC and BD of a quadrilateral ABCD intersect at O in such a way that ar (AOD) = ar (BOC). Prove that ABCD is a trapezium.
- **27.** In Fig., PQ is the diameter of the circle with centre O. If $\angle PQR = 65^{\circ}$, $\angle RPS = 40^{\circ}$ and $\angle PQM = 50^{\circ}$, find $\angle QPR$, $\angle PRS$ and $\angle QPM$.



- **28.** If two equal chords of a circle intersect within the circle, prove that the line joining the point of intersection to the centre makes equal angles with the chords.
- **29.** The circumference of the base of a cone is $\frac{220}{7}$ cm and its slant height is 13cm. Find the volume of the cone. (Use $\pi = \frac{22}{7}$)
- **30.** A dome of a building is in the form of a hemisphere. From inside, it was white-washed at the cost of Rs 498.96. If the cost of white-washing is Rs 2.00 per square metre, find the (i) inside surface area of the dome, (ii) volume of the air inside the dome.
- **31.** A random survey of the number of children of various age groups playing in a park was found as follows: Draw a histogram to represent the data above.

Age(in years)	Number of children
1 – 2	5
2 – 3	3
3 – 5	6
5 – 7	12
7 – 10	9
10 – 15	10
15 – 17	4

Why playing is important for the children?